



Combination wrenches i.TCS inlay

TCS OPEN BOX 14/21 6-36

Product no. **96838771**

GTIN **4018754171675**

Model **OPEN BOX TCS 14/21**



Label.

Combination wrenches i.TCS inlay OPEN BOX TCS 14/21 6-36 21

Properties.

- metric, identical end sizes
- extra-long version for hard-to-reach bolted joints and higher force transmission
- jaw angled 15°
- ring with bi-hex
- ring-end cranked 10°
- AS-Drive profile prevents damage to edges
- reinforcement between jaw and shaft
- durable, slim and lightweight design
- high flexural strength due to double-T profile
- STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
- drop-forged, hardened, and cooled in an oil bath
- Chrome Alloy Steel, chrome-plated
- DIN 3113 Form B/ISO 7738 Form B
- safely integrated in the modular Tool Control System (TCS)

Contains 21-pieces:

21 combination wrenches **No. 14:** 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24; 27; 30; 32; 36 mm

Benefits.

Made in Germany - Combination wrenches i.TCS inlay in TCS inlay, 21 , 6-36 mm, ring side 15° angled, DIN 3113 Form B / ISO 7738 Form B, Chrome Alloy Steel.

Product highlights.



PRODUCT IMAGE
IN PROGRESS

Non-slip surface

STAHLWILLE wrenches have a high-quality surface finish with good grip, making it possible to work safely and efficiently, even with greasy hands. The non-slip property improves control during handling.



A solution for every situation.

Our combination wrenches are available in different versions (metric, imperial, long, with Spline-Drive profile) and as sets in textile bags, roll-up tool bags or TCS inlays.



PRODUCT IMAGE
IN PROGRESS

Order and check.

The set is securely organized in a STAHLWILLE TCS foam inlays. These durable inlays are chemical-resistant and have precise recesses for each tool. The eye-catching yellow underside of the TCS inlays serves as a signal surface to enable quick checking of the set's completeness.

Technologies and features.



Tool Control System

The intelligent modular inlay system protects and organizes the tools in tool boxes, tool trolleys and workbenches. Two-color foam inlays make checking the completeness of the tools quick and easy.



Anti-Slip-Drive

The special AS-Drive profile makes high force transmission to the flats of bolts and nuts possible without damaging them. This also prevents stripping of the bolt head.



Double-T profile

Our ring, open-ended and combination wrenches have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



Thin-walled rings

The thin-walled diameter of our rings makes it easier to work in confined spaces. The ring wall is deeper than standard nuts, which prevents jamming.



Offset Shaft Design

Our wrenches are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

Technical drawing.



Technical attributes.

Number of tools	21	Depth mm (IFS)	550
Range	6-36	Width mm (IFS)	360
Width mm (b)	530 mm	Height mm (IFS)	90
DIN	DIN 3113 Form B / ISO 7738 Form B	WEEE/ElektroG	nicht ear-pflichtig
Height mm (h)	75 mm	Length (packaged, mm)	550
		Width (packaged, mm)	360

Logistics data.

Contents	6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24; 27; 30; 32; 36 mm	Height (packaging, mm)	90
Length mm (L)	350 mm	Volume (packaged, dm³)	17.82 dm ³
Alloy	Chrome Alloy Steel	Product no.	96838771
Surface	chrome-plated	Weight (gross, kg)	6,000
Drawer dividers	3/3	Weight PAP (kg)	0,398
		Weight PVC (kg)	0,000
		GTIN	4018754171675
		Country of origin AWR	GERMANY
		Region of origin	Nordrhein-Westfalen
		Customs tariff no.	82041100
		Packing standard	1
		Weight (g)	4988 g

Parts list.



40103633
Combination wrench



40103232
Combination wrench



40103030
Combination wrench



40102727
Combination wrench



40102424
Combination wrench



40102222
Combination wrench



40102121
Combination wrench



40101919
Combination wrench



40101818
Combination wrench



40101717
Combination wrench



40101616
Combination wrench



40101515
Combination wrench



40101414
Combination wrench



40101313
Combination wrench



40101212
Combination wrench



40101111
Combination wrench



40101010
Combination wrench

40100909
Combination wrench

40100808
Combination wrench

40100707
Combination wrench



40100606
Combination wrench


Variants.

Product no.	Model No. (ERP)	Description	GTIN
96838771	OPEN BOX TCS 14/21	Combination wrenches i.TCS inlay OPEN BOX TCS 14/21 6-36 21	4018754171675

GTIN.



Images.



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal