



Internal pullers

11400

Product no.	71040009
GTIN	4018754342150
Model	11400/8

Label.

Internal puller Size 8 Spread range 55-70mm

Properties.

- for very tight ball bearings, ball bearing outer races and bushings that are not freely accessible from the outside
- removal is carried out by inserting the internal puller into the bearing and screwing in the spindle
- the expanding jaws spread and the lugs locate under the bearing
- can be used with slide hammers 11402/1-2 or counter stays 11401/1-3

Benefits.

Durable tool for extracting ball bearings, bushings, oil seals or similar .

Simple removal is carried out by inserting the internal puller into the bearing and screwing in the spindle.

Can be combined with slide hammers and counter stays for quick removal of components.

Easy on the workpiece thanks to even force distribution.

The sharp edges of the shells securely grip and pull out even bearings that sit close to the back panel.



Product highlights.



PRODUCT IMAGE
IN PROGRESS

Precise for tight-fitting bearings.


The internal puller makes it easy to pull out bearings, bushings and similar components that are close to the wall. The bearings are securely gripped by the bore and pulled out quickly thanks to the good clamping effect. With a spreading range of 12-15 mm, the internal puller is reliable even in demanding applications.

For increased safety.

Thoughtfully designed, die-forged and precisely machined, hardened and tempered on state-of-the-art machines - the STAHLWILLE puller range offers numerous products for a wide range of applications. For example, terminal pullers, pullers for ball joints, counter stays or ball joint extractors - always in premium quality.



Technical drawing.



Technical attributes.

Ball bearing ISO	6211; 6212; 6213; 6214
External hex drive (mm)	19 mm
Width mm (b)	55 mm
Connection thread	M14 x 1,5
Size	8
Height mm (h)	55 mm

Logistics data.

Depth mm (IFS)	192
Width mm (IFS)	55
Height mm (IFS)	55
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	205
Width (packaged, mm)	135

Length mm (L)	205 mm	Height (packaging, mm)	95
Model No.	11400/8	Volume (packaged, dm ³)	2.629125 dm ³
Spreading range (e) min./max.	55-70 mm	Product no.	71040009
		Weight (gross, kg)	1,810
		Weight PAP (kg)	0,120
		Weight PVC (kg)	0,000
		GTIN	4018754342150
		Country of origin AWR	GERMANY
		Region of origin	Nordrhein-Westfalen
		Customs tariff no.	82055980
		Packing standard	1
		Weight (g)	1693 g


Variants.

Product no.	Model No. (ERP)	Description	GTIN
71040001	11400/1	Internal puller Size 1 Spread range8-12mm	4018754342075
71040002	11400/2	Internal puller Size 2 Spread range12-15mm	4018754342082
71040003	11400/3	Internal puller Size 3 Spread range15-19mm	4018754342099
71040004	11400/4	Internal puller Size 4 Spread range19-25mm	4018754342105
71040005	11400/4a	Internal puller Size 4a Spread range25-30mm	4018754342112
71040006	11400/5	Internal puller Size 5 Spread range30-35mm	4018754342129
71040007	11400/6	Internal puller Size 6 Spread range35-45mm	4018754342136
71040008	11400/7	Internal puller Size 7 Spread range45-55mm	4018754342143
71040009	11400/8	Internal puller Size 8 Spread range55-70mm	4018754342150
71040014	11400/9	Internal puller Size 9 Spread range70-100mm	4018754342167

GTIN.



Images.



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal