



Pipe wrenches PowerGRIP

6573



Product no. **65735250**
GTIN **4018754206810**
Model **PowerGRIP 6573 250**

Label. Pipe wrench PowerGRIP L.250mm

Properties.

- smooth jaws to protect sensitive surfaces
- secure grip when screwing, holding and bending
- quick adjustment of the pipe wrench at the push of a button
- for workpieces with parallel surfaces (nuts, screws, etc.)
- variable and smooth fine adjustment
- high transmission ratio for noticeable manual force amplification
- with built-in protection against crush injuries
- high-quality, hardened and tempered for excellent wear resistance
- plastic coated handles

Benefits.

Sturdy pipe wrenches for gripping, holding, pressing and bending workpieces with flat surfaces (thin sheet metal, nuts, screws, etc.).

Use of the jaw stroke enables a "ratchet effect" for additional bolting function.

The pliers feature a non-slip plastic coating and built-in crush protection for improved ergonomics and safety.

Gentle bolting of sensitive fittings up to 36 mm thanks to smooth, parallel jaws without serration.

Infinitely variable and smooth-running quick adjustment at the push of a button on the tool.

Product highlights.



PRODUCT IMAGE
IN PROGRESS

Practical ratchet effect.

The pipe wrench has a multifunctional design due to the special jaw stroke of the gripping jaws and thus also has a ratchet function.



PRODUCT IMAGE
IN PROGRESS

Precise fine adjustment.

Adaptation to the workpiece is achieved by precise, multi-stage quick adjustment of the pivot pin. Quick adjustment via push button makes the pipe wrench comfortable and flexible to use.



PRODUCT IMAGE
IN PROGRESS

Gentle application.

The full-surface and profile-free parallel jaws of this pipe wrench enable safe and gentle gripping of workpieces, such as sensitive fittings up to a diameter of 36 mm.



PRODUCT IMAGE
IN PROGRESS

Every action perfectly executed.

The ergonomically designed handles are coated with a non-slip plastic with a rough surface texture. This makes the pliers comfortable to hold and enables fatigue-free working - even with dirty hands. The integrated clamp protection reliably protects against crush injuries.



PRODUCT IMAGE
IN PROGRESS

High stability.

The sliding slip joint with double support ensures exceptional stability and a particularly long service life, even under high loads. The robust design guarantees reliable performance, even under demanding conditions.

Technical attributes.

Handles	plastic overlay with a textured surface
Header	chrome-plated
Length mm (L)	250 mm
Jaw opening max. (mm)	46 mm
Opening width adjustment	14x

Logistics data.

Depth mm (IFS)	260
Width mm (IFS)	70
Height mm (IFS)	23
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	260
Width (packaged, mm)	70
Height (packaging, mm)	23
Volume (packaged, dm3)	0.4186 dm3
Product no.	65735250
Weight (gross, kg)	0,485
Weight PAP (kg)	0,000
Weight PVC (kg)	0,006
GTIN	4018754206810
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82032000
Packing standard	1
Weight (g)	485 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
65735180	PowerGRIP 6573 180	Pipe wrench PowerGRIP L.180mm	4018754206421
65735250	PowerGRIP 6573 250	Pipe wrench PowerGRIP L.250mm	4018754206810
65735300	PowerGRIP 6573 300	Pipe wrench PowerGRIP L.300mm	4018754206445

GTIN.





STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal