



Combination spanners i.TCS inlay

TCS OPEN BOX 14/21 6-36

Product no. **96838771**
GTIN **4018754171675**
Model **OPEN BOX TCS 14/21**



Label.

Combination spanners i.TCS inlay OPEN BOX TCS 14/21 6-36 21 pcs.

Properties.

- **metric, identical** end sizes
- extra-long version for hard-to-reach bolted joints and higher force transmission
- jaw angled 15°
- ring with bi-hex
- ring-end cranked 10°
- AS-Drive profile prevents damage to edges
- reinforcement between jaw and shaft
- durable, slim and lightweight design
- high flexural strength due to double-T profile
- STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
- drop-forged, hardened, and cooled in an oil bath
- Chrome Alloy Steel, chrome-plated
- DIN 3113 Form B/ISO 7738 Form B
- safely integrated in the modular Tool Control System (TCS)

Contains 21-pieces:

21 combination spanners **No. 14:** 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24; 27; 30; 32; 36 mm

Benefits.

Made in Germany - Combination spanners i.TCS inlay in TCS inlay, 21 pcs., 6-36 mm, ring side 15° angled, DIN 3113 Form B / ISO 7738 Form B, Chrome Alloy Steel.

Product highlights.



PRODUCT IMAGE
IN PROGRESS

Non-slip surface

STAHLWILLE spanners have a high-quality surface finish with good grip, making it possible to work safely and efficiently, even with greasy hands. The non-slip property improves control during handling.



A solution for every situation.

Our combination spanners are available in different versions (metric, imperial, long, with Spline-Drive profile) and as sets in textile bags, roll-up tool pouches or TCS inlays.



PRODUCT IMAGE
IN PROGRESS

Order and check.

The set is securely organised in a STAHLWILLE TCS foam inlays. These durable inlays are chemical-resistant and have precise recesses for each tool. The eye-catching yellow underside of the TCS inlays serves as a signal surface to enable quick checking of the set's completeness.

Technologies and features.



Tool Control System

The intelligent modular inlay system protects and organises the tools in tool boxes, tool trolleys and workbenches. Two-colour foam inlays make checking the completeness of the tools quick and easy.



Anti-Slip-Drive

The special AS-Drive profile makes high force transmission to the flats of bolts and nuts possible without damaging them. This also prevents stripping of the screw head.



Double-T profile

Our ring, open-ended and combination spanners have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



Thin-walled rings


The thin-walled diameter of our rings makes it easier to work in confined spaces. The ring wall is deeper than standard nuts, which prevents jamming.



Offset Shaft Design

Our spanners are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

Technical drawing.



Technical attributes.

| | |
|-----------------|-----------------------------------|
| Number of tools | 21 pcs. |
| Range | 6-36 |
| Width mm (b) | 530 mm |
| DIN | DIN 3113 Form B / ISO 7738 Form B |
| Height mm (h) | 75 mm |

Logistics data.

| | |
|-----------------------|---------------------|
| Depth mm (IFS) | 550 |
| Width mm (IFS) | 360 |
| Height mm (IFS) | 90 |
| WEEE/ElektroG | nicht ear-pflichtig |
| Length (packaged, mm) | 550 |
| Width (packaged, mm) | 360 |

| | | | |
|------------------------|---|--|-----------------------|
| Contents | 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24; 27; 30; 32; 36 mm | Height (packaging, mm) | 90 |
| Length mm (L) | 350 mm | Volume (packaged, dm³) | 17.82 dm ³ |
| Alloy | Chrome Alloy Steel | Product no. | 96838771 |
| Surface | chrome-plated | Weight (gross, kg) | 6,000 |
| Drawer dividers | 3/3 | Weight PAP (kg) | 0,398 |
| | | Weight PVC (kg) | 0,000 |
| | | GTIN | 4018754171675 |
| | | Country of origin AWR | GERMANY |
| | | Region of origin | Nordrhein-Westfalen |
| | | Customs tariff no. | 82041100 |
| | | Packing standard | 1 |
| | | Weight (g) | 4988 g |

Parts list.



40103636
Combination spanner



40103232
Combination spanner



40103030
Combination spanner



40102727
Combination spanner



40102424
Combination spanner



40102222
Combination spanner



40102121
Combination spanner



40101919
Combination spanner



40101818
Combination spanner



40101717
Combination spanner



40101616
Combination spanner



40101515
Combination spanner



40101414
Combination spanner



40101313
Combination spanner



40101212
Combination spanner



40101111
Combination spanner



40101010
Combination spanner



40100909
Combination spanner



40100808
Combination spanner



40100707
Combination spanner



40100606
Combination spanner

Variants.

| Product no. | Model No. (ERP) | Description | GTIN |
|-------------|-----------------------|---|---------------|
| 96838771 | OPEN BOX TCS 14/21 | Combination spanners i.TCS inlay OPEN BOX TCS 14/21 6-36 21 pcs. | 4018754171675 |

GTIN.



Images.





STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal