



PZ cross-head screwdrivers 3K DRALL®

4840

Product no. 48401002
GTIN 4018754123155
Model 3K DRALL® 4840 PZ2



Label.

PZ cross-head screwdriver 3K DRALL® Size PZ2 L.100mm

Properties.

- for POZIDRIV® screws
- black tip
- 3-component handle with non-slip fibre coating and hanging hole
- Chrome Alloy Steel, matt chrome-plated
- DIN 5262 / ISO 8764

Product highlights.



Outstanding craftsmanship.

The blades are made of exceptionally fine industrial-grade chrome alloy steel, through-hardened and anchored in the grip in such a way that they stay there.

Robust.

Whether slotted or cross-head - the rough blade tips transfer even the greatest torques to the screws - precisely and safely.



Versatile.

The lever hole allows even more power and torque if necessary.




Technologies and features.



3-component handle
Our 3-component handle combines hard and soft components, which give it its optimised ergonomics, maximum power transmission, and increased safety during daily use.

Technical drawing.



Technical attributes.

Drive profile	POZIDRIV®
DIN	DIN 5262, ISO 8764
Size drive profile	PZ2
L1	100 mm
L2	215 mm

Logistics data.

Depth mm (IFS)	205
Width mm (IFS)	32
Height mm (IFS)	32
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	223
Width (packaged, mm)	110
Height (packaging, mm)	63
Volume (packaged, dm3)	1.54539 dm3
Product no.	48401002
Weight (gross, kg)	0,835
Weight PAP (kg)	0,082
Weight PVC (kg)	0,000
GTIN	4018754123155
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82054000
Packing standard	10
Weight (g)	70 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
48401001	3K DRALL® 4840 PZ1	PZ cross-head screwdriver 3K DRALL® Size PZ1 L.80mm	4018754123148
48401002	3K DRALL® 4840 PZ2	PZ cross-head screwdriver 3K DRALL® Size PZ2 L.100mm	4018754123155

GTIN.



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal