STAHL**WILLE**()®



Combination wrench set OPEN BOX. metric

OPEN BOX 14

Product no. 96401007

GTIN 4018754095964 **OPEN BOX 14/10** Model











Label.

Combination wrench set OPEN BOX 14/10 8-19 10

Properties.

- metric, identical end sizes
- long design for higher power transmission
- ring-end cranked 10°, jaw angled 15°
- · reinforcement between jaw and shaft
- · durable, slim and lightweight design
- · extremely resilient and durable
- high flexural strength due to double-T profile
- STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
- · drop-forged, hardened, and cooled in an oil bath
- Chrome Alloy Steel, chrome-plated
- DIN 3113 Form B/ISO 7738 Form B
- · in sturdy cardboard packaging

Benefits.

High-quality 10 -piece combination wrench set in metric sizes.

The long force loading point requires less effort with constant torque.

Special manufacturing process makes thin-walled rings possible - perfect for working in places that are difficult to access.

The AS-Drive profile prevents damage to the fastener caused by force being applied to the edges of the nut or bolt.





Product highlights.



Non-slip surface

STAHLWILLE wrenches have a high-quality surface finish with good grip, making it possible to work safely and efficiently, even with greasy hands. The non-slip property improves control during handling.



A solution for every situation.

Our combination wrenches are available in different versions (metric, imperial, long, with Spline-Drive profile) and as sets in textile bags, roll-up tool bags or TCS inlays.

Technologies and features.



Anti-Slip-Drive

The special AS-Drive profile makes high force transmission to the flats of bolts and nuts possible without damaging them. This also prevents stripping of the bolt head.



Double-T profile

Our ring, open-ended and combination wrenches have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



Thin-walled rings

The thin-walled diameter of our rings makes it easier to work in confined spaces. The ring wall is deeper than standard nuts, which prevents jamming.

(2) 2)

Offset Shaft Design

Our wrenches are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

Technical drawing.



Technical attributes.

Number of tools	10	
Range	8-19	
DIN	DIN 3113 Form B / ISO 7738 Form B	
Contents	8; 10; 11; 12; 13; 14; 16; 17; 18; 19 mm	
Alloy	Chrome Alloy Steel	
Jaws angled	10 °	
Surface	chrome-plated	
Model No.	14/10 KT	

Logistics data.

Depth mm (IFS)

= -	
Width mm (IFS)	182
Height mm (IFS)	35
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	410
Width (packaged, mm)	182
Height (packaging, mm)	35
Volume (packaged, dm3)	2.6117 dm3
Product no.	96401007
Weight (gross, kg)	1,235
Weight PAP (kg)	0,000
Weight PVC (kg)	0,010
GTIN	4018754095964
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Packaging	in robust roll-up tool pouch
Customs tariff no.	82041100
Packing standard	1
Weight (g)	1235 g

410

Parts list.



40101919 40101818 401015 Combination wrench Combination wrench Combin

40101717 40101616 Combination wrench

40101414 Combination wrench 40101313 Combination wrench 40101212 Combination wrench 40101111 Combination wrench



40101010 Combination wrench 40100808 Combination wrench

Variants.

Product no.	Model No. (ERP)	Description	GTIN
96401010	OPEN BOX 14/15N	Combination wrench set OPEN BOX 14/15N 10-30 15	4018754122936
96401007	OPEN BOX 14/10	Combination wrench set OPEN BOX 14/10 8-19 10	4018754095964

GTIN.



Images.



