



Top case 13261 TS

13261 TS

Product no.	81091336
GTIN	4018754361090
Model	13261 TS

Label.

Too case 13261 TS 516 x 296 x 160mm

Properties.

- robust and resilient polypropylene top case for the tool trolley 13217 and the 13262 top case
- secure locking thanks to patented LOCK-UNLOCK system
- can be labelled individually
- resistant to temperature, impact, and chemicals
- metal-reinforced fastenings, lockable with padlock

Benefits.

Practical extension for the tool trolley 13217 (from model 2025 with a suitable lid) and the add-on case 13262 for additional storage space.

Our case is resistant to heat, impact and chemicals, making it ideal for rough everyday workshop use.

The writable name plate allows for quick identification, even in hectic working environments.

With the patented LOCK-UNLOCK system, the 13262 TS can be quickly, easily and securely attached in a single step.

The ergonomic, high-quality rubberized carrying handle ensures a high level of comfort when carrying.

Product highlights.



More storage space, cleverly combined.

The add-on case is the optimal addition to the 13217 tool trolley or other modules - simply attach, click into place and get started. From model year 2025 onwards, it will fit perfectly on top thanks to a new lid system, immediately creating additional storage space for tools, accessories or small parts. At the same time, the increased working height ensures greater ergonomics - particularly practical for tasks performed while standing, without having to bend down constantly.

PRODUCT IMAGE
IN PROGRESS**Securely connected in seconds.**

With the patented LOCK-UNLOCK system, the case sits securely on the trolley or another stackable case with just one hand movement. No wobbling, no slipping -simply place it, lock it in place and get going.

PRODUCT IMAGE
IN PROGRESS**Made for the toughest jobs.**

Whether oil, chemicals, or dirt - our case remains steadfast. It is resistant to skydrol, acetone, petrol and hydraulic oils. With water- and dust-proof closures, it is also ideally equipped for harsh industrial applications.

Technical attributes.

Width mm (b)	296 mm
Height mm (h)	160 mm
Length mm (L)	516 mm

Logistics data.

Depth mm (IFS)	585
Width mm (IFS)	375
Height mm (IFS)	210
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	590
Width (packaged, mm)	390
Height (packaging, mm)	225
Volume (packaged, dm ³)	51.7725 dm ³
Product no.	81091336
Weight (gross, kg)	3,934
Weight PAP (kg)	0,608
Weight PVC (kg)	0,000
GTIN	4018754361090
Country of origin AWR	ITALY
Region of origin	Ausländischer Ursprung
Customs tariff no.	42021250
Packing standard	1
Weight (g)	3326 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
81091336	13261 TS	Too case 13261 TS 516 x 296 x 160mm	4018754361090

GTIN.



Accessories (for).



98833005
Tool set

Images.



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal