



QuickRelease safety lock

7161

Product no. **54100070**
GTIN **4018754230051**
Model **7161-1**

Label.

QR safety lock



Technologies and features.



QuickRelease

The QuickRelease safety lock prevents unintentional loss of insert tools. These click securely into place, and are only released again at the push of a button for a quick tool change. In transducers: The QuickRelease safety lock helps you to quickly mount and change transducers. The transducers lock into the calibration system and only unlock again at the push of the buttons.

Technical attributes.

for model	714/1-4
Size	1
Length mm (L)	26 mm

Logistics data.

Depth mm (IFS)	26
Width mm (IFS)	26
Height mm (IFS)	15
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	30

Width (packaged, mm)	30
Height (packaging, mm)	15
Volume (packaged, dm ³)	0.0135 dm ³
Product no.	54100070
Weight (gross, kg)	0,005
Weight PAP (kg)	0,000
Weight PVC (kg)	0,003
GTIN	4018754230051
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	39269097
Packing standard	1
Weight (g)	4 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
54100070	7161-1	QR safety lock	4018754230051
54100071	7161-2	QR safety lock	4018754230068
54100072	7161-3	QR safety lock	4018754230075
54100073	7161-4	QR safety lock	4018754245963
54100074	7161-5	QR safety lock	4018754245970

GTIN.



Accessories (for).



96500901
Angle and torque
wrench MANOSKOP®



96500902
Angle and torque
wrench MANOSKOP®



96500904
Angle and torque
wrench MANOSKOP®



96501001
Angle and torque
wrench MANOSKOP®



96501002
Angle and torque
wrench MANOSKOP®



96501004
Angle and torque
wrench MANOSKOP®