



## Internal pullers

### 11400

|             |                      |
|-------------|----------------------|
| Product no. | <b>71040002</b>      |
| GTIN        | <b>4018754342082</b> |
| Model       | <b>11400/2</b>       |

#### Label.

Internal puller Size 2 Spread range 12-15mm

#### Properties.

- for very tight ball bearings, ball bearing outer races and bushings that are not freely accessible from the outside
- removal is carried out by inserting the internal puller into the bearing and screwing in the spindle
- the expanding jaws spread and the lugs locate under the bearing
- can be used with slide hammers 11402/1-2 or counter stays 11401/1-3

## Benefits.

Durable tool for extracting ball bearings, bushings, oil seals or similar .

Simple removal is carried out by inserting the internal puller into the bearing and screwing in the spindle.

Can be combined with slide hammers and counter stays for quick removal of components.

Easy on the workpiece thanks to even force distribution.

The sharp edges of the shells securely grip and pull out even bearings that sit close to the back panel.



# Product highlights.



PRODUCT IMAGE  
IN PROGRESS

## Precise for tight-fitting bearings.


The internal puller makes it easy to pull out bearings, bushings and similar components that are close to the wall. The bearings are securely gripped by the bore and pulled out quickly thanks to the good clamping effect. With a spreading range of 12-15 mm, the internal puller is reliable even in demanding applications.

## For increased safety.

Thoughtfully designed, die-forged and precisely machined, hardened and tempered on state-of-the-art machines - the STAHLWILLE puller range offers numerous products for a wide range of applications. For example, terminal pullers, pullers for ball joints, counter stays or ball joint extractors - always in premium quality.



# Technical drawing.



## Technical attributes.

|                         |                  |
|-------------------------|------------------|
| Ball bearing ISO        | 6001; 6201; 6202 |
| External hex drive (mm) | 10 mm            |
| Width mm (b)            | 26 mm            |
| Connection thread       | M10              |
| Size                    | 2                |
| Height mm (h)           | 26 mm            |

## Logistics data.

|                       |                     |
|-----------------------|---------------------|
| Depth mm (IFS)        | 110                 |
| Width mm (IFS)        | 26                  |
| Height mm (IFS)       | 26                  |
| WEEE/ElektroG         | nicht ear-pflichtig |
| Length (packaged, mm) | 126                 |
| Width (packaged, mm)  | 39                  |

|                               |          |                        |                     |
|-------------------------------|----------|------------------------|---------------------|
| Length mm (L)                 | 109 mm   | Height (packaging, mm) | 38                  |
| Model No.                     | 11400/2  | Volume (packaged, dm3) | 0.186732 dm3        |
| Spreading range (e) min./max. | 12-15 mm | Product no.            | 71040002            |
|                               |          | Weight (gross, kg)     | 0,132               |
|                               |          | Weight PAP (kg)        | 0,016               |
|                               |          | Weight PVC (kg)        | 0,000               |
|                               |          | GTIN                   | 4018754342082       |
|                               |          | Country of origin AWR  | GERMANY             |
|                               |          | Region of origin       | Nordrhein-Westfalen |
|                               |          | Customs tariff no.     | 82055980            |
|                               |          | Packing standard       | 1                   |
|                               |          | Weight (g)             | 119 g               |


## Variants.

| Product no. | Model No. (ERP) | Description                                 | GTIN          |
|-------------|-----------------|---------------------------------------------|---------------|
| 71040001    | 11400/1         | Internal puller Size 1 Spread range8-12mm   | 4018754342075 |
| 71040002    | 11400/2         | Internal puller Size 2 Spread range12-15mm  | 4018754342082 |
| 71040003    | 11400/3         | Internal puller Size 3 Spread range15-19mm  | 4018754342099 |
| 71040004    | 11400/4         | Internal puller Size 4 Spread range19-25mm  | 4018754342105 |
| 71040005    | 11400/4a        | Internal puller Size 4a Spread range25-30mm | 4018754342112 |
| 71040006    | 11400/5         | Internal puller Size 5 Spread range30-35mm  | 4018754342129 |
| 71040007    | 11400/6         | Internal puller Size 6 Spread range35-45mm  | 4018754342136 |
| 71040008    | 11400/7         | Internal puller Size 7 Spread range45-55mm  | 4018754342143 |
| 71040009    | 11400/8         | Internal puller Size 8 Spread range55-70mm  | 4018754342150 |
| 71040014    | 11400/9         | Internal puller Size 9 Spread range70-100mm | 4018754342167 |

## GTIN.



## Images.



**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

[info@stahlwille.de](mailto:info@stahlwille.de) · [www.stahlwille.com](http://www.stahlwille.com)

© STAHLWILLE Eduard Wille GmbH, Wuppertal