



Electronics side cutters

6707

Product no. **67076000**
GTIN **4018754333196**
Model **6707 115**



Label.

Electronics side cutter L.115mm Header polished Handles 2-component handles

Properties.

- for demanding work in electronics/precision mechanics
- slim head design for use in confined work areas
- remarkable cutting performance: Ø 0.6 mm for hard wire and Ø 1.5 mm for soft wire
- long service life, no play, push-through joint
- with double leaf spring for smooth movement
- extended handle cover for better slip protection
- ergonomic thumb rest for optimal handling
- cutting edges induction hardened to approx. 62 HRC
- with 2-component handles
- DIN ISO 9654

Benefits.

Precision side cutters for fine cutting work in electronics or precision mechanics.

The sharp, hardened cutting edges deliver equally precise results with both hard and soft wire.

Self-opening and easy to use thanks to built-in double spring for gentle and precise movements.

The fully inserted, play-free joint offers the highest precision with a consistently long service life.

The frictionless, self-opening double leaf spring enables soft and precise movement of the jaws.

Product highlights.



PRODUCT IMAGE
IN PROGRESS

Efficient use in confined installation spaces.

The slim head of the electronics cutter enables efficient use in confined installation spaces. The smooth-running joint reduces the effort required. The handle covers with multi-component material improve slip resistance and the ergonomic thumb rest optimizes the handling of the pliers.



PRODUCT IMAGE
IN PROGRESS

Precision and durability.

The cutter is specially designed for the finest precision work. Its rigid box joint and sharp cutting edges guarantee precise cuts with different wire thicknesses. At the same time, the high-quality materials of the electronics pliers offer remarkable durability and service life.




PRODUCT IMAGE
IN PROGRESS

Outstanding craftsmanship.

The tool is forged from high-quality steel which gives it outstanding stability and durability in continuous use.

Technical drawing.



Technical attributes.

Width mm (b)	56 mm
DIN	DIN ISO 9654

Logistics data.

Depth mm (IFS)	120
Width mm (IFS)	80

Handles	2-component handles	Height mm (IFS)	18
Hard wire (3)	0,8 mm	WEEE/ElektroG	nicht ear-pflichtig
Header	polished	Length (packaged, mm)	120
Head width electronics mm (a)	12 mm	Width (packaged, mm)	80
Head thickness-electronics-mm (d)	8 mm	Height (packaging, mm)	18
Length mm (L)	115 mm	Volume (packaged, dm3)	0.1728 dm3
Medium-hard wire (2)	1 mm	Product no.	67076000
Piano wire (4)	0,6 mm	Weight (gross, kg)	0,072
Head length-electronics-mm (b)	14 mm	Weight PAP (kg)	0,000
Soft wire (1)	1,5 mm	Weight PVC (kg)	0,005
		GTIN	4018754333196
		Country of origin AWR	GERMANY
		Region of origin	Thüringen
		Customs tariff no.	82032000
		Packing standard	1
		Weight (g)	72 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
67076000	6707 115	Electronics side cutter L.115mm Header polished Handles 2-component handles	4018754333196

GTIN.



Images.



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal