



## Socket

**460a**

Product no. **02620032**  
GTIN **4018754005123**  
Model **460a 1/2**



**Label.** 3/8 " Socket Size 1/2" L.44mm

**Properties.**

- bi-hex with AS-Drive profile
- 3/8" internal square drive
- HPQ® high performance steel, chrome-plated
- SAE AS 954-E / S.B.A.C. AS 40610/40611 / ASME B 107.1


## Technologies and features.



### High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

## Technical drawing.



## Technical attributes.

|                           |                 |
|---------------------------|-----------------|
| Drive profile             | bi-hex AS-Drive |
| Square drive inner (inch) | 3/8 "           |
| d1                        | 17,5 mm         |
| d2                        | 17,8 mm         |
| d3                        | 11,5 mm         |
| Length mm (L)             | 44 mm           |
| Size [inch]               | 1/2 "           |
| t1                        | 12 mm           |
| t2                        | 30 mm           |

## Logistics data.

|                        |                     |
|------------------------|---------------------|
| Depth mm (IFS)         | 44                  |
| Width mm (IFS)         | 18                  |
| Height mm (IFS)        | 18                  |
| WEEE/ElektroG          | nicht ear-pflichtig |
| Length (packaged, mm)  | 95                  |
| Width (packaged, mm)   | 60                  |
| Height (packaging, mm) | 18                  |
| Volume (packaged, dm3) | 0.1026 dm3          |
| Product no.            | 02620032            |
| Weight (gross, kg)     | 0,226               |
| Weight PAP (kg)        | 0,000               |
| Weight PVC (kg)        | 0,005               |
| GTIN                   | 4018754005123       |
| Country of origin AWR  | GERMANY             |
| Region of origin       | Nordrhein-Westfalen |
| Customs tariff no.     | 82042000            |
| Packing standard       | 5                   |
| Weight (g)             | 44 g                |

## Variants.

| Product no. | Model No. (ERP) | Description                    | GTIN          |
|-------------|-----------------|--------------------------------|---------------|
| 02620016    | 460a 1/4        | 3/8 " Socket Size 1/4" L.32mm  | 4018754005086 |
| 02620020    | 460a 5/16       | 3/8 " Socket Size 5/16" L.32mm | 4018754005093 |
| 02620024    | 460a 3/8        | 3/8 " Socket Size 3/8" L.38mm  | 4018754005109 |

|          |           |                                |               |
|----------|-----------|--------------------------------|---------------|
| 02620028 | 460a 7/16 | 3/8 " Socket Size 7/16" L.38mm | 4018754005116 |
| 02620032 | 460a 1/2  | 3/8 " Socket Size 1/2" L.44mm  | 4018754005123 |

## GTIN.



**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

[info@stahlwille.de](mailto:info@stahlwille.de) · [www.stahlwille.com](http://www.stahlwille.com)

© STAHLWILLE Eduard Wille GmbH, Wuppertal