

Friction gauge

73Nm/15



Product no. **50240015**
GTIN **4018754163830**
Model **73 NM/15**



Label.

Friction gauge 73Nm/15 2-15N·m 1/2" L. 298.5mm

Properties.

- indicating type
- permanently installed square drive for clockwise use
- trailing pointer dial
- no "needle wobble" during measurements
- lighter construction due to use of aluminium
- certificate in accordance with DIN EN ISO 6789-2:2017
- **display deviation value $\pm 4\%$**

Technologies and features.



Factory calibration certificate (ISO calibration)

Our torque tools, transducers, and test equipment are delivered with a factory calibration certificate in accordance with DIN EN ISO 6789-2:2017, and based on DKD-R 10-8 for traceability of the measuring equipment.

Technical drawing.



Technical attributes.

Scale division N·m	0,5 N·m
Measuring range N·m	2-15 N·m
External square drive (inch)	1/2
Width mm (b)	72 mm
DIN	DIN EN ISO 6789-2:2017
Height mm (h)	50 mm
Length mm (L)	298,5 mm
LF	250 mm
MA N·m	2 N·m
Nominal value N·m	15 N·m

Logistics data.

Depth mm (IFS)	305
Width mm (IFS)	105
Height mm (IFS)	65
WEEE/ElektroG	nicht ear-pflichtig
Length (packed, mm)	305
Width (packed, mm)	105
Height (packed, mm)	65
Volume (packed, dm ³)	2.081625 dm ³
Art. no.	50240015
Weight (gross, kg)	0,676
Weight PAP (kg)	0,096
Weight PVC (kg)	0,000
GTIN	4018754163830
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82041100
Packing standard	1
Weight	676 g

Variants.

Art. no.	Model no. (ERP)	Description	GTIN
50240015	73 NM/15	Friction gauge 73Nm/15 2-15N·m 1/2" L. 298.5mm	4018754163830

GTIN.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal