



Assortment tools TCS inlay 54 pcs.

TCS STW3818 MAINTENANCE METR.



Product no. **98814890**
GTIN **4018754318643**
Model **TCS 13216N/2 MAINTENANCE METR.**



Label.

Tool assortment TCS STW3818 MAINTENANCE METR. L.585mm W.300mm
H.360mm 54 pcs.

Properties.

Premium quality metric tools

- With 2 drawers, one compartment under the lid, safety lock and plastic-coated carrying handle on the lid
- Wide, spring-loaded, dip-coated lateral carrying handles
- High-grade, sturdy sliding, fully extendible rails
- Easily removable drawers
- Tools in three TCS inserts*

Contents 54 items:

- 1 QuickRelease crank No 453QR 10 mm (3/8") L.386.5 mm
- 1 ratcheting bit-holder No 4008-1 6.3 mm (1/4") L.127 mm
- 1 flat-bladed screwdriver with impact cap No 4622SK 3 1.2 x 6.5 x 125 mm, two-component grip
- 1 cruciform-tip screwdriver No 4631 PH 2, two-component grip
- 1 snipe-nose pliers No 6530 5 L.160 mm
- 1 wire-twisting pliers No 6575 1 220 L.230 mm
- 1 heavy-duty side-cutters No 6602 5 140 L.140 mm
- 1 wire cutter No 13148
- 1 scribe No 12321
- 1 telescopic mirror No 12921 M 1 1/4 inch / D. 32 mm
- 8 sockets 6.3 mm (1/4") No 40 D bi-hex sizes 5; 6; 7; 8; 9; 10; 12; 13 mm
- 6 sockets 12.5 mm (1/2") No 45 bi-hex sizes 14; 16; 17; 19; 20; 22
- 1 extension No 405/2 6.3 mm (1/4") L.54 mm
- 1 extension No 405/4 6.3 mm (1/4") L.100 mm
- 1 universal joint No 407 6.3 mm (1/4") L.37 mm
- 1 adaptor No 4091/4 to 3/8" L.25 mm
- 1 reversible ratchet No 415QR N 6.3 mm (1/4") working angle 4.5° L.117 mm
- 1 bit holder No 412, 1/4" 6.3 mm (1/4") L.25 mm
- 1 extension No 427/36.3 mm (1/4") L.76 mm
- 1 extension No 427/56.3 mm (1/4") L.125 mm
- 1 universal joint No 428 L.46 mm
- 1 reduction piece No 431 3/8 to 1/4"
- 1 QuickRelease fine-tooth ratchet No 435QR N 10 mm (3/8") working angle 4.5° L.193 mm
- 1 bit holder No 442 10 mm (3/8") 1/4" female hex L.32 mm

1 engineer's hammer No 10961 300 g
1 nylon mallet No10956N 32 head D.32 mm
1 bit box No 1204/21-1, magn. bit holder PH+PZ+TX+SL 20pc set
11 combination spanners OPEN BOX No 13 sizes 6; 7; 8; 9; 10; 12; 13; 14; 15; 17;19mm
1 adjustable single-ended open-jaw spanner No 4025 8 jaw size 30 mm
1 pin punch No 108/150 X 6
1 pin punch No 108/115 X 2
1 strap wrench No 12005 strap L.600 mm

*The advantages at a glance:

With our Tool Control System, the tools are arranged in chemical-resistant special foam inserts with sculpted three-dimensional cut-outs.

The signal colour is yellow. A glance is enough to see whether all tools are in their correct places: If you can see yellow, there is a tool missing.

Technologies and features.



Tool Control System

The intelligent modular inlay system protects and organises the tools in tool boxes, tool trolleys and workbenches. Two-colour foam inlays make checking the completeness of the tools quick and easy.



QuickRelease

The QuickRelease safety lock prevents unintentional loss of insert tools. These click securely into place, and are only released again at the push of a button for a quick tool change.

Technical attributes.

Number of tools	54 pcs.
Width mm (b)	300 mm
Height mm (h)	360 mm
Length mm (L)	585 mm

Logistics data.

Depth mm (IFS)	585
Width mm (IFS)	300
Height mm (IFS)	360
WEEE/ElektroG	nicht ear-pflichtig
Length (packed, mm)	585
Width (packed, mm)	300
Height (packed, mm)	360
Volume (packed, dm3)	63.18 dm3
Art. no.	98814890
Weight (gross, kg)	16,400
Weight PAP (kg)	0,000
Weight PVC (kg)	0,000
GTIN	4018754318643
Country of origin AWR	GERMANY

Region of origin	Nordrhein-Westfalen
Customs tariff no.	82060000
Packing standard	1
Weight	16400 g

Variants.

Art. no.	Model no. (ERP)	Description	GTIN
98814890	TCS 13216N/2 MAINTENANCE METR.	Tool assortment TCS STW3818 MAINTENANCE METR. L.585mm W.300mm H.360mm 54 pcs.	4018754318643

GTIN.



Images.





STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal