



## TORX® Tamper Resistant screwdrivers 3K DRALL®

**4856**



Product no. **48560027**  
GTIN **4018754123261**  
Model **4856 T27**



**Label.** TORX® Tamper Resistant screwdriver 3K DRALL® T27 L.115mm

**Properties.**

- for recessed TORX® screws
- with hollow tip (TORX® Tamper Resistant)
- black tip
- 3-component handle with non-slip fibre coating and hanging hole
- Chrome Alloy Steel, matt chrome-plated

## Product highlights.



### Outstanding craftsmanship.

The blades are made of exceptionally fine industrial-grade chrome alloy steel, through-hardened and anchored in the grip in such a way that they stay there.


## Technologies and features.



### 3-component handle

Our 3-component handle combines hard, soft and special fibre-coated components, which give it its optimised ergonomics, maximum power transmission, and increased safety during daily use.

# Technical drawing.



## Technical attributes.

|                        |                        |
|------------------------|------------------------|
| Drive profile          | TORX® Tamper Resistant |
| Size of output profile | T27                    |
| L1                     | 115 mm                 |
| L2                     | 230 mm                 |

## Logistics data.

|                       |                     |
|-----------------------|---------------------|
| Depth mm (IFS)        | 206                 |
| Width mm (IFS)        | 27                  |
| Height mm (IFS)       | 24                  |
| WEEE/ElektroG         | nicht ear-pflichtig |
| Length (packed, mm)   | 232                 |
| Width (packed, mm)    | 123                 |
| Height (packed, mm)   | 38                  |
| Volume (packed, dm3)  | 1.084368 dm3        |
| Art. no.              | 48560027            |
| Weight (gross, kg)    | 0,450               |
| Weight PAP (kg)       | 0,600               |
| Weight PVC (kg)       | 0,000               |
| GTIN                  | 4018754123261       |
| Country of origin AWR | GERMANY             |
| Region of origin      | Nordrhein-Westfalen |
| Customs tariff no.    | 82054000            |
| Packing standard      | 5                   |
| Weight                | 58 g                |

## Variants.

| Art. no. | Model no. (ERP) | Description                                            | GTIN          |
|----------|-----------------|--------------------------------------------------------|---------------|
| 48560006 | 4856 T6         | TORX® Tamper Resistant screwdriver 3K DRALL® T6 L.50mm | 4018754123186 |
| 48560007 | 4856 T7         | TORX® Tamper Resistant screwdriver 3K DRALL® T7 L.50mm | 4018754123193 |
| 48560008 | 4856 T8         | TORX® Tamper Resistant screwdriver 3K DRALL® T8 L.60mm | 4018754123209 |
| 48560009 | 4856 T9         | TORX® Tamper Resistant screwdriver 3K DRALL® T9 L.60mm | 4018754123216 |

|          |          |                                                             |               |
|----------|----------|-------------------------------------------------------------|---------------|
| 48560010 | 4856 T10 | TORX® Tamper Resistant screwdriver<br>3K DRALL® T10 L.80mm  | 4018754123223 |
| 48560015 | 4856 T15 | TORX® Tamper Resistant screwdriver<br>3K DRALL® T15 L.80mm  | 4018754123230 |
| 48560020 | 4856 T20 | TORX® Tamper Resistant screwdriver<br>3K DRALL® T20 L.100mm | 4018754123247 |
| 48560025 | 4856 T25 | TORX® Tamper Resistant screwdriver<br>3K DRALL® T25 L.100mm | 4018754123254 |
| 48560027 | 4856 T27 | TORX® Tamper Resistant screwdriver<br>3K DRALL® T27 L.115mm | 4018754123261 |
| 48560030 | 4856 T30 | TORX® Tamper Resistant screwdriver<br>3K DRALL® T30 L.115mm | 4018754123278 |
| 48560040 | 4856 T40 | TORX® Tamper Resistant screwdriver<br>3K DRALL® T40 L.115mm | 4018754123285 |

## GTIN.



### STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200  
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal  
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal