



TORX® Tamper Resistant screwdrivers 3K DRALL®

4856



Product no. **48560006**
GTIN **4018754123186**
Model **4856 T6**



Label. TORX® Tamper Resistant screwdriver 3K DRALL® T6 L.50mm

Properties.

- for recessed TORX® screws
- with hollow tip (TORX® Tamper Resistant)
- black tip
- 3-component handle with non-slip fibre coating and hanging hole
- Chrome Alloy Steel, matt chrome-plated

Product highlights.



Outstanding craftsmanship.

The blades are made of exceptionally fine industrial-grade chrome alloy steel, through-hardened and anchored in the grip in such a way that they stay there.


Technologies and features.



3-component handle

Our 3-component handle combines hard, soft and special fibre-coated components, which give it its optimised ergonomics, maximum power transmission, and increased safety during daily use.

Technical drawing.



Technical attributes.

Drive profile	TORX® Tamper Resistant
Size of output profile	T6
L1	50 mm
L2	145 mm

Logistics data.

Depth mm (IFS)	124
Width mm (IFS)	19
Height mm (IFS)	16
WEEE/ElektroG	nicht ear-pflichtig
Length (packed, mm)	190
Width (packed, mm)	80
Height (packed, mm)	43
Volume (packed, dm3)	0.6536 dm3
Art. no.	48560006
Weight (gross, kg)	0,231
Weight PAP (kg)	0,051
Weight PVC (kg)	0,000
GTIN	4018754123186
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82054000
Packing standard	5
Weight	45 g

Variants.

Art. no.	Model no. (ERP)	Description	GTIN
48560006	4856 T6	TORX® Tamper Resistant screwdriver 3K DRALL® T6 L.50mm	4018754123186
48560007	4856 T7	TORX® Tamper Resistant screwdriver 3K DRALL® T7 L.50mm	4018754123193
48560008	4856 T8	TORX® Tamper Resistant screwdriver 3K DRALL® T8 L.60mm	4018754123209
48560009	4856 T9	TORX® Tamper Resistant screwdriver 3K DRALL® T9 L.60mm	4018754123216

48560010	4856 T10	TORX® Tamper Resistant screwdriver 3K DRALL® T10 L.80mm	4018754123223
48560015	4856 T15	TORX® Tamper Resistant screwdriver 3K DRALL® T15 L.80mm	4018754123230
48560020	4856 T20	TORX® Tamper Resistant screwdriver 3K DRALL® T20 L.100mm	4018754123247
48560025	4856 T25	TORX® Tamper Resistant screwdriver 3K DRALL® T25 L.100mm	4018754123254
48560027	4856 T27	TORX® Tamper Resistant screwdriver 3K DRALL® T27 L.115mm	4018754123261
48560030	4856 T30	TORX® Tamper Resistant screwdriver 3K DRALL® T30 L.115mm	4018754123278
48560040	4856 T40	TORX® Tamper Resistant screwdriver 3K DRALL® T40 L.115mm	4018754123285

GTIN.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal