



## MINI-waterpump plier

**6515**



Product no.	<b>65156125</b>
GTIN	<b>4018754281251</b>
Model	<b>6515 Mini- Wasserpumpenzange</b>

**Label.** MINI-waterpump plier L.125mm Jaw w.25mm Head black lacquered, polished

- Properties.**
- compact version with slim head shape for use in confined working areas
  - self-clamping on the workpiece, reduces effort and prevents slipping
  - sliding slip joint with double support
  - easy to adjust thanks to locking hole adjustment
  - induction-hardened serration for impressive dimensional stability and durability
  - with built-in protection against crush injuries
  - plastic coated handles
  - Chrome Alloy Steel, forged and oil-hardened
  - DIN ISO 8976

## Benefits.

Compact design with slim head allows precise repair and maintenance work, even in hard-to-reach ranges.

Stretched slip joint with double support ensures high load capacity.

For improved ergonomics and safety, the pliers are equipped with a non-slip plastic coating and an integrated anti-jamming protection.

With 4-way quick adjustment for easy adaptation to workpieces with a diameter of up to 25 mm.

The induction-hardened serrated edge ensures a secure hold, minimising abrasion.

## Product highlights.



PRODUCT IMAGE  
IN PROGRESS

### **Every action perfectly executed.**

For precise work and powerful gripping - STAHLWILLE pliers with non-slip handle. The comfortable handles with rough surface structure allow safe, low-fatigue work, even with smeared hands.



PRODUCT IMAGE  
IN PROGRESS

### **Compact design for narrow work areas.**

The compact version with a slim head shape enables precise work even in confined spaces. Thanks to their narrow design, the water pump pliers are perfect for hard-to-reach places and are also easy to store.



PRODUCT IMAGE  
IN PROGRESS

### **Precise 4-position quick adjustment.**

The practical adjustment with locking holes allows for quick and easy adaptation to different workpiece sizes. The 4-stage adjustment is simple and safe, without the need for any additional mechanism.



PRODUCT IMAGE  
IN PROGRESS

### **Particularly durable and resilient.**

Made of high-quality Chrome Alloy Steel, forged and oil-hardened, the water pump pliers meet the highest standards of robustness and durability. The induction-hardened jaw serration gives the tool additional hardness and wear resistance.



PRODUCT IMAGE  
IN PROGRESS

### **A secure hold and comfortable handling.**

The ergonomically designed handles are covered with a non-slip plastic coating with a rough surface structure. This makes the pliers comfortable to hold and allows for fatigue-free working - even with greasy hands. The integrated anti-pinch protection reliably protects against crushing injuries.



PRODUCT IMAGE  
IN PROGRESS

### **Wide range of applications.**

Whether it's bicycle repairs, car work, plumbing or heating installations or delicate work in model making - these compact water pump pliers are versatile and an indispensable tool for DIYers, Tradesmen and professionals alike.



PRODUCT IMAGE  
IN PROGRESS

### **High stability.**

The box-type sliding joint with double support ensures exceptional stability and a particularly long service life, even under high loads. The robust construction guarantees reliable performance, even under demanding conditions.

## Technical attributes.

Handles	plastic overlay with a textured surface
Head	black lacquered, polished
Length mm (L)	125 mm
Alloy	Chrome Vanadium Steel
max. jaw opening (mm)	25 mm
Opening width adjustment	4x

## Logistics data.

Depth mm (IFS)	135
Width mm (IFS)	34
Height mm (IFS)	11
WEEE/ElektroG	nicht ear-pflichtig
Length (packed, mm)	136
Width (packed, mm)	35
Height (packed, mm)	12
Volume (packed, dm3)	0.05712 dm3
Art. no.	65156125
Weight (gross, kg)	0,110
Weight PAP (kg)	0,000
Weight PVC (kg)	0,004
GTIN	4018754281251
Country of origin AWR	GERMANY
Region of origin	Thüringen
Customs tariff no.	82032000
Packing standard	1
Weight	118 g

## Variants.

Art. no.	Model no. (ERP)	Description	GTIN
65156125	6515 Mini-Wasserpumpenzange	MINI-waterpump plier L.125mm Jaw w.25mm Head black lacquered, polished	4018754281251

## GTIN.



**STAHLWILLE Eduard Wille GmbH & Co. KG**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200  
 info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal  
 Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal