



## Double-ended ring spanners StahlwilleSTABIL®, metric, deeply cranked

### StahlwilleSTABIL® 20

|             |                           |
|-------------|---------------------------|
| Product no. | 41040607                  |
| GTIN        | 4018754020782             |
| Model       | StahlwilleSTABIL 20 6 x 7 |



#### Label.

Double-ended ring spanner Spanner size 6 x 7 mm L.165mm

#### Properties.

- **metric, differing** end sizes
- deeply cranked
- bi-hex with AS-Drive profile
- durable, slim and lightweight design
- high flexural strength due to double-T profile
- STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
- drop-forged, hardened, and cooled in an oil bath
- Chrome Alloy Steel, chrome-plated

## Benefits.

High quality double-ended ring spanner, deeply cranked, in metric spanner sizes.

The AS-Drive profile prevents damage to the fastener caused by force being applied to the edges of the nut or bolt.

Manufactured from durable Chrome Alloy Steel for a long service life and resistance to wear.

A special manufacturing process makes thin-walled rings possible - primarily for slightly lower-lying screw connections.


The distinctive STAHLWILLE rounded finish ensures the combination spanner is comfortable to hold and is easy to grip, ensuring safe working, even with oily hands.

## Technologies and features.



### Anti-Slip-Drive

The special AS-Drive profile makes high force transmission to the flats of screws and bolts possible without damaging them. This also prevents stripping of the screw head.



### Thin-walled rings

The thin wall diameter of our rings makes it easier to work in confined spaces. The ring sides are taller than standard nuts, which prevents jamming.

## Technical drawing.



## Technical attributes.

|                      |                    |
|----------------------|--------------------|
| a1                   | 6 mm               |
| a2                   | 7 mm               |
| Drive profile        | bi-hex AS-Drive    |
| d1                   | 10,5 mm            |
| d2                   | 11,8 mm            |
| Length mm (L)        | 165 mm             |
| Alloy                | Chrome Alloy Steel |
| Surface              | chrome-plated      |
| Ring position        | 75 °               |
| Spanner width 1 [mm] | 6 mm               |
| Spanner width 2 [mm] | 7 mm               |
| t                    | 18 mm              |

## Logistics data.

|                       |                     |
|-----------------------|---------------------|
| Depth mm (IFS)        | 172                 |
| Width mm (IFS)        | 13                  |
| Height mm (IFS)       | 20                  |
| WEEE/ElektroG         | nicht ear-pflichtig |
| Length (packed, mm)   | 206                 |
| Width (packed, mm)    | 60                  |
| Height (packed, mm)   | 30                  |
| Volume (packed, dm3)  | 0.3708 dm3          |
| Art. no.              | 41040607            |
| Weight (gross, kg)    | 0,460               |
| Weight PAP (kg)       | 0,000               |
| Weight PVC (kg)       | 0,005               |
| GTIN                  | 4018754020782       |
| Country of origin AWR | GERMANY             |
| Region of origin      | Nordrhein-Westfalen |
| Customs tariff no.    | 82041100            |

Packing standard

10

Weight

46 g

## Variants.

| Art. no. | Model no. (ERP)                | Description                                                  | GTIN          |
|----------|--------------------------------|--------------------------------------------------------------|---------------|
| 41040607 | StahlwilleSTABIL<br>20 6 x 7   | Double-ended ring spanner Spanner<br>size 6 x 7 mm L.165mm   | 4018754020782 |
| 41040809 | StahlwilleSTABIL<br>20 8 x 9   | Double-ended ring spanner Spanner<br>size 8 x 9 mm L.180mm   | 4018754020805 |
| 41040810 | StahlwilleSTABIL<br>20 8 x 10  | Double-ended ring spanner Spanner<br>size 8 x 10 mm L.180mm  | 4018754020812 |
| 41041011 | StahlwilleSTABIL<br>20 10 x 11 | Double-ended ring spanner Spanner<br>size 10 x 11 mm L.200mm | 4018754020829 |
| 41041013 | StahlwilleSTABIL<br>20 10 x 13 | Double-ended ring spanner Spanner<br>size 10 x 13 mm L.220mm | 4018754020843 |
| 41041213 | StahlwilleSTABIL<br>20 12 x 13 | Double-ended ring spanner Spanner<br>size 12 x 13 mm L.220mm | 4018754020867 |
| 41041317 | StahlwilleSTABIL<br>20 13 x 17 | Double-ended ring spanner Spanner<br>size 13 x 17 mm L.245mm | 4018754020911 |
| 41041415 | StahlwilleSTABIL<br>20 14 x 15 | Double-ended ring spanner Spanner<br>size 14 x 15 mm L.245mm | 4018754020928 |
| 41041617 | StahlwilleSTABIL<br>20 16 x 17 | Double-ended ring spanner Spanner<br>size 16 x 17 mm L.255mm | 4018754020942 |
| 41041719 | StahlwilleSTABIL<br>20 17 x 19 | Double-ended ring spanner Spanner<br>size 17 x 19 mm L.270mm | 4018754020966 |
| 41041819 | StahlwilleSTABIL<br>20 18 x 19 | Double-ended ring spanner Spanner<br>size 18 x 19 mm L.275mm | 4018754020973 |
| 41041821 | StahlwilleSTABIL<br>20 18 x 21 | Double-ended ring spanner Spanner<br>size 18 x 21 mm L.300mm | 4018754020980 |
| 41041922 | StahlwilleSTABIL<br>20 19 x 22 | Double-ended ring spanner Spanner<br>size 19 x 22 mm L.300mm | 4018754020997 |
| 41042022 | StahlwilleSTABIL<br>20 20 x 22 | Double-ended ring spanner Spanner<br>size 20 x 22 mm L.300mm | 4018754021017 |
| 41042123 | StahlwilleSTABIL<br>20 21 x 23 | Double-ended ring spanner Spanner<br>size 21 x 23 mm L.315mm | 4018754021031 |
| 41042124 | StahlwilleSTABIL<br>20 21 x 24 | Double-ended ring spanner Spanner<br>size 21 x 24 mm L.330mm | 4018754021048 |
| 41042224 | StahlwilleSTABIL<br>20 22 x 24 | Double-ended ring spanner Spanner<br>size 22 x 24 mm L.330mm | 4018754021055 |
| 41042426 | StahlwilleSTABIL<br>20 24 x 26 | Double-ended ring spanner Spanner<br>size 24 x 26 mm L.330mm | 4018754021062 |
| 41042427 | StahlwilleSTABIL<br>20 24 x 27 | Double-ended ring spanner Spanner<br>size 24 x 27 mm L.330mm | 4018754021079 |

|          |                                |                                                              |               |
|----------|--------------------------------|--------------------------------------------------------------|---------------|
| 41042528 | StahlwilleSTABIL<br>20 25 x 28 | Double-ended ring spanner Spanner<br>size 25 x 28 mm L.350mm | 4018754021093 |
| 41042730 | StahlwilleSTABIL<br>20 27 x 30 | Double-ended ring spanner Spanner<br>size 27 x 30 mm L.360mm | 4018754021116 |
| 41042732 | StahlwilleSTABIL<br>20 27 x 32 | Double-ended ring spanner Spanner<br>size 27 x 32 mm L.360mm | 4018754021123 |
| 41043032 | StahlwilleSTABIL<br>20 30 x 32 | Double-ended ring spanner Spanner<br>size 30 x 32 mm L.365mm | 4018754021130 |
| 41043034 | StahlwilleSTABIL<br>20 30 x 34 | Double-ended ring spanner Spanner<br>size 30 x 34 mm L.365mm | 4018754021147 |
| 41043641 | StahlwilleSTABIL<br>20 36 x 41 | Double-ended ring spanner Spanner<br>size 36 x 41 mm L.440mm | 4018754021185 |
| 41044650 | StahlwilleSTABIL<br>20 46 x 50 | Double-ended ring spanner Spanner<br>size 46 x 50 mm L.535mm | 4018754021208 |

## GTIN.



### STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200  
 info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal  
 Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal