



Combination spanner sets OPEN BOX, metric

**OPEN BOX 13** 

 Product no.
 96400803

 GTIN
 4018754080595

 Model
 OPEN BOX 13/15



Label.

Combination spanner set OPEN BOX 13/15 6-32 15 pcs.

Properties.

### • metric, identical end sizes

- jaw angled  $15^\circ$
- ring with bi-hex
- ring-end cranked 15°
- AS-Drive profile prevents damage to edges
- · reinforcement between jaw and shaft
- durable, slim and lightweight design
- high flexural strength due to double-T profile
- STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
- drop-forged, hardened, and cooled in an oil bath
- Chrome Alloy Steel, chrome-plated
- DIN 3113 Form A/ISO 7738 Form A
- in robust polyester roll-up tool pouch with Velcro closure
- mesh inserts allow visibility of the tools
- a compact storage solution to keep your tools safe
- embroidered STAHLWILLE logo

## Benefits.

High-quality metric combination spanner set.

The slim, thin-walled rings are ideal for working in areas that are difficult to access.

In a space-saving tool roll for safe and well-organised storage.

The ring side that is offset by  $15^\circ$  makes it easy to work on flat surfaces.

The distinctive STAHLWILLE rounded finish ensures the combination spanner is comfortable to hold and is easy to grip, ensuring safe working, even with oily hands.

# Product highlights.





## Angled and offset.

The 15° angled jaw opening is the guarantee of exact positioning on the screw for optimum force transmission. The offset side of the ring makes it easier to work on flat surfaces.

## Excellent workmanship.

The spanner is made from high-quality forged Chrome Alloy Steel, making it extremely robust and durable, even during continuous use. It also has a corrosion-resistant chrome-plated finish.



### Non-slip surface

STAHLWILLE spanners have a high-quality surface finish with good grip, making it possible to work safely and efficiently, even with greasy hands. The non-slip property improves control during handling.



PRODUCT IMAGE

### A solution for every situation.

Our combination spanners are available in different versions (metric, imperial, long, with Spline-Drive profile) and as sets in textile bags, roll-up tool pouches or TCS inlays.



### Organised storage.

The set can be stored in the compartments of a practical roll-up tool pouch. This makes it convenient and compact enough to carry anywhere. Transparent mesh inserts provide a quick view of the contents of your tool set.

## Technologies and features.



### Double-T profile

Our combination and ring spanners have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.

## Offset Shaft Design

Our spanners are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.


## Anti-Slip-Drive

The special AS-Drive profile makes high force transmission to the flats of screws and bolts possible without damaging them. This also prevents stripping of the screw head.

## Thin-walled rings

The thin wall diameter of our rings makes it easier to work in confined spaces. The ring sides are taller than standard nuts, which prevents jamming.

## Technical drawing.



## Technical attributes.

## Logistics data.

Number of tools	15 pcs.	Depth mm (IFS)	365
Range	6-32	Width mm (IFS)	95
DIN	DIN 3113 Form A / ISO 7738 Form A	Height mm (IFS)	70
		WEEE/ElektroG	nicht ear-pflichtig
Сарасу	6; 7; 8; 9; 10; 11; 12; 13; 17; 19; 22; 24; 27; 30; 32 mm	Length (packed, mm)	470
		Width (packed, mm)	120
Alloy	Chrome Alloy Steel	Height (packed, mm)	90
Jaw angle	15 °	Volume (packed, dm3)	5.076 dm3
Model no.	13/15	Art. no.	96400803
Surface	chrome-plated	Weight (gross, kg)	2,860
		Weight PAP (kg)	0,000
		Weight PVC (kg)	0,004
		GTIN	4018754080595
		Country of origin AWR	GERMANY
		Region of origin	Nordrhein-Westfalen
		Packaging	in robust roll-up tool pouch

Customs tariff no.

Packing standard

Weight

82041100

2236 g

1

# Variants.

Art. no.	Model no. (ERP)	Description	GTIN
96400813	OPEN BOX 13/6	Combination spanner set OPEN BOX 13/6 7-19 6 pcs.	4018754122875
96400807	OPEN BOX 13/8	Combination spanner set OPEN BOX 13/8 8-22 8 pcs.	4018754323258
96400801	OPEN BOX 13/9	Combination spanner set OPEN BOX 13/9 9-22 9 pcs.	4018754080571
96400302	OPEN BOX 13/9 EXTRA	Combination spanner set OPEN BOX 13/9 EXTRA 8-19 9 pcs.	4018754291182
96400802	OPEN BOX 13/11	Combination spanner set OPEN BOX 13/11 8-22 11 pcs.	4018754080588
96400803	OPEN BOX 13/15	Combination spanner set OPEN BOX 13/15 6-32 15 pcs.	4018754080595
91130852	OPEN BOX 13/16 CH	Combination spanner set OPEN BOX 13/16 CH 6-27 16 pcs.	4018754058037
96400804	OPEN BOX 13/17	Combination spanner set OPEN BOX 13/17 6-22 17 pcs.	4018754080601
96400810	13/19 CH	Combination spanner set 13/19 CH 8-32 19 pcs.	4018754348183

# GTIN.



## Images.







## STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200 info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal