



Combination ratchet spanner set OPEN RATCH, 5-pieces, flat, metric, in TCS inlay

TCS OPEN RATCH 17F/5

Product no. **96830652**
GTIN **4018754327058**
Model **TCS OPEN RATCH 17F/5**



Label.

Combination ratchet spanner set TCS OPEN RATCH 17F/5 8-19 5 pcs.

Properties.

- **metric, identical** end sizes
- flat version
- jaw position 15°
- ring with bi-hex
- integrated ratchet with 72 teeth, with a working angle of 5°
- change direction by flipping the spanner over
- reinforced connection between jaw and shaft
- durable, slim and lightweight design
- high flexural strength due to double-T profile
- STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
- drop-forged, hardened, and cooled in an oil bath
- Chrome Alloy Steel, chrome-plated
- safely integrated in the modular Tool Control System (TCS)

Contains 5-pieces:

5 combination ratcheting spanners, flat **No. 17F**: 8; 10; 13; 17; 19 mm

Benefits.

High-quality combination ratcheting spanner set in metric sizes.

The flat design makes it easier to work in tight spaces.

In a TCS inlay - a clear and secure storage solution for tool trolleys and workbenches.

The integrated ratchet with 72 teeth makes it possible to ratchet at an angle of just 5°.

The distinctive STAHLWILLE rounded finish ensures the combination ratcheting spanner is comfortable to hold and is easy to grip, ensuring safe working, even with oily hands.



Product highlights.



Set for tight installation spaces.

Our ratcheting combination spanner set contains the most common spanner sizes from 8 to 19 mm and therefore covers a wide range of possible applications. The flat design makes it much easier to screw in confined spaces.



Excellent workmanship.

Our spanners are made from high-quality forged chrome alloy steel, giving them outstanding robustness and durability, even in continuous and prolonged use. They also have a corrosion-resistant chrome-plated finish.



Non-slip surface.

The STAHLWILLE spanners have a high-quality surface structure with a good grip, which even allows you to work safely and securely with oily hands. The non-slip property increases handling control.



Order and check.

The set is securely organised in a STAHLWILLE TCS foam inlays. These durable inlays are chemical-resistant and have precise recesses for each tool. The eye-catching yellow underside of the TCS inlays serves as a signal surface to enable quick checking of the set's completeness.

Technologies and features.



Double-T profile

Our combination and ring spanners have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



Offset Shaft Design

Our spanners are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.



Tool Control System

The intelligent modular inlay system protects and organises the tools in tool boxes, tool trolleys and workbenches. Two-colour foam inlays make checking the completeness of the tools quick and easy.

Technical attributes.

Number of tools	5 pcs.
Range	8-19
Width mm (b)	175 mm
Height mm (h)	30 mm
Capacity	8; 10; 13; 17; 19 mm
Length mm (L)	350 mm
Alloy	Chrome Alloy Steel
Surface	chrome-plated
Drawer dividers	1/3

Logistics data.

Depth mm (IFS)	365
Width mm (IFS)	180
Height mm (IFS)	45
WEEE/ElektroG	nicht ear-pflichtig
Length (packed, mm)	365
Width (packed, mm)	180
Height (packed, mm)	45
Volume (packed, dm3)	2.9565 dm3
Art. no.	96830652
Weight (gross, kg)	0,810
Weight PAP (kg)	0,138
Weight PVC (kg)	0,000
GTIN	4018754327058
Country of origin AWR	TAIWAN, PROVINCE OF CHINA
Customs tariff no.	82041100
Packing standard	1
Weight	722 g


Variants.

Art. no.	Model no. (ERP)	Description	GTIN
96830652	TCS OPEN RATCH 17F/5	Combination ratchet spanner set TCS OPEN RATCH 17F/5 8-19 5 pcs.	4018754327058

GTIN.



Images.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal