



Electronic TORX® screwdrivers

4754



Product no. **47540010**
GTIN **4018754355235**
Model **4754 T10**



Label.

Electronic TORX® screwdriver T10 L.60mm

Properties.

- for recessed TORX® screws
- rotating cap with ergonomic recess
- narrow, practical, fast rotating handle
- with laser marking

Benefits.


Whether for electronic, IT or precision engineers - our screwdriver for recessed TORX® screws is designed for precise work.

The specially hardened black tip with an optimal fit ensures a long service life.


The blade is made of high-quality Chrome Alloy Steel with a chrome-plated, corrosion-resistant surface for a long service life.

The handy fast rotating handle in combination with a rotary cap allows for faster and more efficient twisting without having to put the screwdriver down.

The non-slip multi-component handle ensures maximum control and supports ergonomic working.




Product highlights.



For precise screwdriving.

Our high-quality electronic TORX® screwdriver for recessed TORX® screws is an indispensable tool for work requiring millimetre precision in the fields of electronics and precision mechanics. Whether you are replacing an SSD in a laptop, maintaining automotive electronics or repairing a delicate watch mechanism, this screwdriver offers maximum precision and a wide range of applications.



Fast spinning.

By placing your hand on the rotary cap and the fast-rotating handle, you can twirl the screwdriver particularly quickly without having to put it down repeatedly.



Convenient handling.


The multi-component handle enables ergonomic and comfortable working thanks to a sophisticated combination of hard and soft zones. This arrangement ensures a secure grip and supports effortless, powerful and precise screw driving.



Excellent quality.

The blade is made of Chrome Alloy Steel with a specially hardened black tip for the highest quality and a long service life.

Technical drawing.



Technical attributes.

| | |
|------------------------|--------|
| Size of output profile | T10 |
| L1 | 60 mm |
| L2 | 160 mm |

Logistics data.

| | |
|---------------------|---------------------|
| Depth mm (IFS) | 164 |
| Width mm (IFS) | 20 |
| Height mm (IFS) | 20 |
| WEEE/ElektroG | nicht ear-pflichtig |
| Length (packed, mm) | 167 |
| Width (packed, mm) | 80 |
| Height (packed, mm) | 30 |

| | |
|------------------------------|---------------------|
| Volume (packed, dm3) | 0.4008 dm3 |
| Art. no. | 47540010 |
| Weight (gross, kg) | 0,112 |
| Weight PAP (kg) | 0,042 |
| Weight PVC (kg) | 0,000 |
| GTIN | 4018754355235 |
| Country of origin AWR | GERMANY |
| Region of origin | Nordrhein-Westfalen |
| Customs tariff no. | 82054000 |
| Packing standard | 5 |
| Weight | 22 g |

Variants.

| Art. no. | Model no. (ERP) | Description | GTIN |
|----------|-----------------|---|---------------|
| 47540004 | 4754 T4 | Electronic TORX® screwdriver T4 L.50mm | 4018754355167 |
| 47540005 | 4754 T5 | Electronic TORX® screwdriver T5 L.50mm | 4018754355174 |
| 47540006 | 4754 T6 | Electronic TORX® screwdriver T6 L.50mm | 4018754355181 |
| 47540007 | 4754 T7 | Electronic TORX® screwdriver T7 L.50mm | 4018754355198 |
| 47540008 | 4754 T8 | Electronic TORX® screwdriver T8 L.60mm | 4018754355204 |
| 47540009 | 4754 T9 | Electronic TORX® screwdriver T9 L.60mm | 4018754355211 |
| 47540010 | 4754 T10 | Electronic TORX® screwdriver T10 L.60mm | 4018754355235 |
| 47540015 | 4754 T15 | Electronic TORX® screwdriver T15 L.80mm | 4018754355273 |

GTIN.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal