



## Torque screwdrivers TORSIOMETER

760/30



Product no. **51040030**  
GTIN **4018754118922**  
Model **760/30**



### Label.

Torque screwdriver TORSIOMETER Model 760/30 Hex 1/4"

### Properties.

- indicating type
- the measuring element is a torsional leaf spring
- clockwise tightening (with trailing pointer) and anticlockwise tightening
- with 1/4" internal hex drive (F 6.3 DIN 3126)
- comparative scale in in·lb and cursor
- inserts and adaptors with external hex E 6.3 (1/4")
- DIN 3126/ISO 1173 are securely held and firmly controlled in the mounting shaft
- to attach 1/4" sockets, please order adaptor No 3115
- certificate in accordance with DIN EN ISO 6789-2:2017
- **display deviation value  $\pm 4\%$**


## Technologies and features.



### Factory calibration certificate (ISO calibration)

Our torque tools, transducers, and test equipment are delivered with a factory calibration certificate in accordance with DIN EN ISO 6789-2:2017, and based on DKD-R 10-8 for traceability of the measuring equipment.

Technical drawing.



Technical attributes.

|                           |             |
|---------------------------|-------------|
| Scale division cN·m       | 10 cN·m     |
| Measuring range cN·m      | 60-300 cN·m |
| Measuring range in·lb     | 6-26 in·lb  |
| Internal hex drive (mm)   | F 6,3 mm    |
| DIN                       | DIN 3126    |
| Size                      | 30          |
| Internal hex drive [inch] | 1/4 "       |
| Length mm (L)             | 185 mm      |

Logistics data.

|                       |                     |
|-----------------------|---------------------|
| Depth mm (IFS)        | 205                 |
| Width mm (IFS)        | 90                  |
| Height mm (IFS)       | 90                  |
| WEEE/ElektroG         | nicht ear-pflichtig |
| Length (packed, mm)   | 205                 |
| Width (packed, mm)    | 90                  |
| Height (packed, mm)   | 90                  |
| Volume (packed, dm3)  | 1.6605 dm3          |
| Art. no.              | 51040030            |
| Weight (gross, kg)    | 0,465               |
| Weight PAP (kg)       | 0,110               |
| Weight PVC (kg)       | 0,000               |
| GTIN                  | 4018754118922       |
| Country of origin AWR | GERMANY             |
| Region of origin      | Nordrhein-Westfalen |
| Customs tariff no.    | 82041100            |
| Packing standard      | 1                   |
| Weight                | 230 g               |

Variants.

| Art. no. | Model no. (ERP) | Description                                              | GTIN          |
|----------|-----------------|----------------------------------------------------------|---------------|
| 51040007 | 760/7,5         | Torque screwdriver TORSIOMETER<br>Model 760/7,5 Hex 1/4" | 4018754118908 |
| 51040015 | 760/15          | Torque screwdriver TORSIOMETER<br>Model 760/15 Hex 1/4"  | 4018754118915 |

|          |        |                                                         |               |
|----------|--------|---------------------------------------------------------|---------------|
| 51040030 | 760/30 | Torque screwdriver TORSIOMETER<br>Model 760/30 Hex 1/4" | 4018754118922 |
| 51040060 | 760/60 | Torque screwdriver TORSIOMETER<br>Model 760/60 Hex 1/4" | 4018754118939 |

## GTIN.



**STAHLWILLE Eduard Wille GmbH & Co. KG**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200  
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal  
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal