




## Double-ended ring spanner sets StahlwilleSTABIL®, metric

### StahlwilleSTABIL® 20

Product no. **96410407**  
GTIN **4018754080991**  
Model **StahlwilleSTABIL 20/10**



**Label.** Double-ended ring spanner set StahlwilleSTABIL 20/10 6x7-30x32 10 pcs.

- Properties.**
- **metric, differing** end sizes
  - deeply cranked, support angle 75°
  - durable, slim and lightweight design
  - high flexural strength due to double-T profile
  - STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
  - drop-forged, hardened, and cooled in an oil bath
  - Chrome Alloy Steel, chrome-plated
  - in cardboard packaging

## Benefits.

High quality double-ended ring spanner, low-crank, in metric sizes.

The AS-Drive profile prevents damage to the fastener caused by force being applied to the edges of the nut or bolt.

Manufactured from durable Chrome Alloy Steel for a long service life and resistance to wear.

A special manufacturing process makes thin-walled rings possible - primarily for slightly lower-lying screw connections.

The distinctive STAHLWILLE rounded finish ensures the combination spanner is comfortable to hold and is easy to grip, ensuring safe working, even with oily hands.

## Technologies and features.



### Double-T profile


Our combination and ring spanners have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



### Thin-walled rings

The thin wall diameter of our rings makes it easier to work in confined spaces. The ring sides are taller than standard nuts, which prevents jamming.

## Technical drawing.



## Technical attributes.

|                 |                                                                                         |
|-----------------|-----------------------------------------------------------------------------------------|
| Number of tools | 10 pcs.                                                                                 |
| Range           | 6x7-30x32                                                                               |
| Capacity        | 6 x 7; 8 x 9; 10 x 11; 12 x 13; 14 x 15; 16 x 17; 18 x 19; 20 x 22; 24 x 27; 30 x 32 mm |
| Alloy           | Chrome Alloy Steel                                                                      |
| Model no.       | 20/10                                                                                   |
| Surface         | chrome-plated                                                                           |

## Logistics data.

|                       |                     |
|-----------------------|---------------------|
| Depth mm (IFS)        | 390                 |
| Width mm (IFS)        | 80                  |
| Height mm (IFS)       | 47                  |
| WEEE/ElektroG         | nicht ear-pflichtig |
| Length (packed, mm)   | 390                 |
| Width (packed, mm)    | 80                  |
| Height (packed, mm)   | 47                  |
| Volume (packed, dm3)  | 1.4664 dm3          |
| Art. no.              | 96410407            |
| Weight (gross, kg)    | 2,331               |
| Weight PAP (kg)       | 0,090               |
| Weight PVC (kg)       | 0,000               |
| GTIN                  | 4018754080991       |
| Country of origin AWR | GERMANY             |
| Region of origin      | Nordrhein-Westfalen |
| Customs tariff no.    | 82041100            |

Packing standard

1

Weight

2331 g

## Variants.

| Art. no. | Model no. (ERP)        | Description                                                               | GTIN          |
|----------|------------------------|---------------------------------------------------------------------------|---------------|
| 96410408 | StahlwilleSTABIL 20/7  | Double-ended ring spanner set<br>StahlwilleSTABIL 20/7 6x7-18x19 7 pcs.   | 4018754122943 |
| 96410405 | StahlwilleSTABIL 20/8  | Double-ended ring spanner set<br>StahlwilleSTABIL 20/8 6x7-20x22 8 pcs.   | 4018754080977 |
| 96410409 | StahlwilleSTABIL 20/9  | Double-ended ring spanner set<br>StahlwilleSTABIL 20/9 6x7-21x24 9 pcs.   | 4018754122950 |
| 96410407 | StahlwilleSTABIL 20/10 | Double-ended ring spanner set<br>StahlwilleSTABIL 20/10 6x7-30x32 10 pcs. | 4018754080991 |
| 96410406 | StahlwilleSTABIL 20/12 | Double-ended ring spanner set<br>StahlwilleSTABIL 20/12 6x7-30x32 12 pcs. | 4018754080984 |

## GTIN.

**STAHLWILLE Eduard Wille GmbH & Co. KG**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200

info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH &amp; Co. KG, Wuppertal

Copyright by STAHLWILLE Eduard Wille GmbH &amp; Co. KG, Wuppertal