STAHLWILLE()®



Combination spanner sets OPEN BOX, metric

OPEN BOX 13

Product no. 96400804

GTIN 4018754080601 Model **OPEN BOX 13/17**











Label.

Combination spanner set OPEN BOX 13/17 6-22 17 pcs.

Properties.

- · metric, identical end sizes
- jaw angled 15°
- ring with bi-hex
- ring-end cranked 15°
- AS-Drive profile prevents damage to edges
- · reinforcement between jaw and shaft
- durable, slim and lightweight design
- high flexural strength due to double-T profile
- STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
- · drop-forged, hardened, and cooled in an oil bath
- Chrome Alloy Steel, chrome-plated
- DIN 3113 Form A/ISO 7738 Form A
- in robust polyester roll-up tool pouch with Velcro closure
- · mesh inserts allow visibility of the tools
- a compact storage solution to keep your tools safe
- embroidered STAHLWILLE logo

Benefits.

High-quality metric combination spanner set.

The ring side that is offset by 15° makes it easy to work on flat surfaces.

The slim, thin-walled rings are ideal for working in areas that are difficult to access.

The distinctive STAHLWILLE rounded finish ensures the combination spanner is comfortable to hold and is easy to grip, ensuring safe working, even with oily hands.

In a space-saving tool roll for safe and well-organised storage.

Product highlights.



Angled and offset.

The 15° angled jaw opening is the guarantee of exact positioning on the screw for optimum force transmission. The offset side of the ring makes it easier to work on flat surfaces.



Excellent workmanship.

The spanner is made from high-quality forged Chrome Alloy Steel, making it extremely robust and durable, even during continuous use. It also has a corrosion-resistant chrome-plated finish.



Non-slip surface

STAHLWILLE spanners have a high-quality surface finish with good grip, making it possible to work safely and efficiently, even with greasy hands. The non-slip property improves control during handling.



A solution for every situation.

Our combination spanners are available in different versions (metric, imperial, long, with Spline-Drive profile) and as sets in textile bags, roll-up tool pouches or TCS inlays.



Organised storage.

The set can be stored in the compartments of a practical roll-up tool pouch. This makes it convenient and compact enough to carry anywhere. Transparent mesh inserts provide a quick view of the contents of your tool set.

Technologies and features.



Double-T profile

Our combination and ring spanners have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



Offset Shaft Design

Our spanners are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.



Anti-Slip-Drive


The special AS-Drive profile makes high force transmission to the flats of screws and bolts possible without damaging them. This also prevents stripping of the screw head.



Thin-walled rings

The thin wall diameter of our rings makes it easier to work in confined spaces. The ring sides are taller than standard nuts, which prevents jamming.

Technical drawing.



Technical attributes.

| Number of tools | 17 pcs. | |
|-----------------|---|--|
| Range | 6-22 | |
| DIN | DIN 3113 Form A / ISO 7738 Form A | |
| Capacy | 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22 mm | |
| Alloy | Chrome Alloy Steel | |
| Jaw angle | 15 ° | |
| Model no. | 13/17 | |
| Surface | chrome-plated | |

Logistics data.

Depth mm (IFS)

| Width mm (IFS) | 65 | |
|-----------------------|------------------------------|--|
| Height mm (IFS) | 70 | |
| WEEE/ElektroG | nicht ear-pflichtig | |
| Length (packed, mm) | 350 | |
| Width (packed, mm) | 140 | |
| Height (packed, mm) | 78 | |
| Volume (packed, dm3) | 3.822 dm3 | |
| Art. no. | 96400804 | |
| Weight (gross, kg) | 2,050 | |
| Weight PAP (kg) | 0,000 | |
| Weight PVC (kg) | 0,004 | |
| GTIN | 4018754080601 | |
| Country of origin AWR | GERMANY | |
| Region of origin | Nordrhein-Westfalen | |
| Packaging | in robust roll-up tool pouch | |
| Customs tariff no. | 82041100 | |
| Packing standard | 1 | |
| Weight | 1480 g | |
| | | |

270

Variants.

| Art. no. | Model no. (ERP) | Description | GTIN |
|----------|------------------------|---|---------------|
| 96400813 | OPEN BOX 13/6 | Combination spanner set OPEN BOX 13/6 7-19 6 pcs. | 4018754122875 |
| 96400807 | OPEN BOX 13/8 | Combination spanner set OPEN BOX 13/8 8-22 8 pcs. | 4018754323258 |
| 96400801 | OPEN BOX 13/9 | Combination spanner set OPEN BOX 13/9 9-22 9 pcs. | 4018754080571 |
| 96400302 | OPEN BOX 13/9 EXTRA | Combination spanner set OPEN BOX 13/9 EXTRA 8-19 9 pcs. | 4018754291182 |
| 96400802 | OPEN BOX 13/11 | Combination spanner set OPEN BOX 13/11 8-22 11 pcs. | 4018754080588 |
| 96400803 | OPEN BOX 13/15 | Combination spanner set OPEN BOX 13/15 6-32 15 pcs. | 4018754080595 |
| 91130852 | OPEN BOX 13/16 CH | Combination spanner set OPEN BOX 13/16 CH 6-27 16 pcs. | 4018754058037 |
| 96400804 | OPEN BOX 13/17 | Combination spanner set OPEN BOX 13/17 6-22 17 pcs. | 4018754080601 |
| 96400810 | 13/19 CH | Combination spanner set 13/19 CH 8-32 19 pcs. | 4018754348183 |

GTIN.



Images.









