ĴSTAHL**WILLE**()[®]



Combination spanner sets OPEN BOX, inch

OPEN BOX 13a

Product no. 96404804

4018754080878 GTIN Model **OPEN BOX 13a/20**











Label.

Combination spanner set OPEN BOX 13a/20 1/4-1.1/4 20 pcs.

Properties.

- · imperial, identical end sizes in cardboard packaging
- ring-end cranked 15°, jaw angled 15°
- · reinforcement between jaw and shaft
- · durable, slim and lightweight design
- extremely resilient and durable
- high flexural strength due to double-T profile
- STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
- drop-forged, hardened, and cooled in an oil bath
- Chrome Alloy Steel, chrome-plated
- DIN 3113 Form A/ISO 7738 Form A

Benefits.

High-quality 20 pcs.-piece combination spanner set in imperial AF sizes.





Product highlights.



Non-slip surface

STAHLWILLE spanners have a high-quality surface finish with good grip, making it possible to work safely and efficiently, even with greasy hands. The non-slip property improves control during handling.



A solution for every situation.

Our combination spanners are available in different versions (metric, imperial, long, with Spline-Drive profile) and as sets in textile bags, roll-up tool pouches or TCS inlays.

Technologies and features.



Double-T profile

Our combination and ring spanners have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



Thin-walled rings


The thin wall diameter of our rings makes it easier to work in confined spaces. The ring sides are taller than standard nuts, which prevents jamming.



Offset Shaft Design

Our spanners are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

Technical drawing.



Technical attributes.

Number of tools	20 pcs.	Depth mm (IFS)	380
Range	1/4-1.1/4	Width mm (IFS)	65
DIN	DIN 3113 Form A / ISO 7738 Form A	Height mm (IFS)	100
		WEEE/ElektroG	nicht ear-pflichtig
Capacy	1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16; 19/32; 5/8; 11/16; 3/4; 25/32; 13/16; 7/8; 15/16; 1; 1 1/16; 1 1/8; 1 1/4 "	Length (packed, mm)	380
		Width (packed, mm)	65
		Height (packed, mm)	100
		Volume (packed, dm3)	2.47 dm3
Alloy	Chrome Alloy Steel	Art. no.	96404804
Jaw angle	15 °	Weight (gross, kg)	3,180
Model no.	13a/20	Weight PAP (kg)	0,124
Surface	chrome-plated	Weight PVC (kg)	0,000
		GTIN	4018754080878
		Country of origin AWR	GERMANY
		Region of origin	Nordrhein-Westfalen
		Packaging	in cardboard packaging with transparent lid
		Customs tariff no.	82041100
		Packing standard	1
		Weight	3180 g

Logistics data.

Variants.

Art. no.	Model no. (ERP)	Description	GTIN
96404803	OPEN BOX 13a/8	Combination spanner set OPEN BOX 13a/8 7/16-7/8 8 pcs.	4018754080861
96404812	OPEN BOX 13a/10 KT	Combination spanner set OPEN BOX 13a/10 KT 1/4-3/4 10 pcs.	4018754101979
96404804	OPEN BOX 13a/20	Combination spanner set OPEN BOX 13a/20 1/4-1.1/4 20 pcs.	4018754080878

GTIN.



Images.

