



Waterpump plier FastGRIP

6572



Product no. **65726300**
GTIN **4018754206384**
Model **6572 Wasserpumpenzange
FastGRIP 300mm**

Label.

Waterpump plier FastGRIP Jaw w.44mm L.300mm Head polished

Properties.

- sliding slip joint with double support
- quick adjustment at the push of a button on the workpiece
- variable and smooth running, 15-way adjustable
- induction-hardened serration for greater robustness and durability
- clamping protection against crushing injuries
- ergonomic handle with plastic coating and roughened surface
- DIN ISO 8976
- chromium vanadium steel, forged and oil-hardened

Benefits.

Infinitely variable and smooth-running quick adjustment at the push of a button on the tool.

The fine-toothed jaw reliably grips objects of various shapes and holds nuts and pipes securely.

The pliers feature a non-slip plastic coating and built-in crush protection for improved ergonomics and safety.

Sliding slip joint with double support increases stability during use.

The inductively hardened jaw teeth provide the water pump pliers with tremendous wear resistance.

Product highlights.



**PRODUCT IMAGE
IN PROGRESS**

Flexible quick adjustment.

Adaptation to the workpiece is achieved by precise, multi-stage quick adjustment of the pivot pin. Adjustment takes place quickly and easily via a push button, which makes the use of these pump pliers flexible. An integrated clamping protection prevents crushing injuries.



PRODUCT IMAGE
IN PROGRESS

Every action perfectly executed.

For precise work and powerful gripping - STAHLWILLE pliers with non-slip handle. The comfortable handles with rough surface structure allow safe, low-fatigue work, even with smeared hands.



PRODUCT IMAGE
IN PROGRESS

Outstanding craftsmanship.

The pliers are forged and additionally oil-hardened and chrome-plated. This gives them outstanding stability and resistance under continuous load.

Technical attributes.

DIN	DIN ISO 8976
Handles	plastic overlay with a textured surface
Head	polished
Length mm (L)	300 mm
Alloy	Chrome Vanadium Steel
max. jaw opening (mm)	44 mm
Opening width adjustment	15x

Logistics data.

Depth mm (IFS)	302
Width mm (IFS)	50
Height mm (IFS)	22
WEEE/ElektroG	nicht ear-pflichtig
Length (packed, mm)	375
Width (packed, mm)	100
Height (packed, mm)	23
Volume (packed, dm3)	0.8625 dm3
Art. no.	65726300
Weight (gross, kg)	0,545
Weight PAP (kg)	0,000
Weight PVC (kg)	0,007
GTIN	4018754206384
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82032000
Packing standard	1
Weight	530 g

Variants.

Art. no.	Model no. (ERP)	Description	GTIN
65726180	6572 Wasserpumpenzange FastGRIP 180mm	Waterpump plier FastGRIP Jaw w.28mm L.180mm Head polished	4018754206377
65726240	6572 Wasserpumpenzange FastGRIP 240mm	Waterpump plier FastGRIP Jaw w.37mm L.240mm Head polished	4018754178421

65726300 6572
Wasserpumpenzange
FastGRIP 300mm

Waterpump plier FastGRIP Jaw
w.44mm L.300mm Head polished

4018754206384

GTIN.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal