



Extension

509

 Product no.
 13010004

 GTIN
 4018754013005

 Model
 509/3

Label.

1/2 " Extension L.75mm

Properties.

- Chrome Alloy Steel, chrome-plated
- DIN 3123 / ISO 3316 6

Benefits.

High-quality extension for use in the workshop, DIY or industry.

The socket wrench adapter ensures optimum power transmission even in hard-to-reach places.

The high-quality Chrome Alloy Steel construction promises a long service life.

Practical extension for hand operated sockets with 1/2" square drive and ball lock.

The extension ensures stable connections even in long threaded holes.

Product highlights.



A solution for every situation.

Our socket extensions are available in different versions (different output sizes, straight and curved form, with and without QR inch, with wobble drive or as VDE version).



Safe for hard-to-reach screws.


The combination of optimal working length and ball lock ensures a secure hold of the sockets. This enables high and safe power transmission in hard-to-reach places and for low-lying threaded connections, e.g. for repairs on cars and trucks.



Outstanding craftsmanship.

The tool is forged from high-quality Chrome Alloy Steel, which gives it outstanding stability and durability in continuous use. It also has a corrosion-resistant chrome-plated finish.

Technical drawing.



Technical attributes.

| External square drive (inch) | 1/2 |
|------------------------------|-----|
| Internal square drive (inch) | 1/2 |
| d | 23 |
| DIN | DIN |
| Size | 3 |
| Length mm (L) | 75 |

1/2 1/2 " 23,2 mm DIN 3123 / ISO 3316 3 75 mm

Logistics data.

| Depth mm (IFS) | 75 | |
|-----------------------|---------------------|--|
| Width mm (IFS) | 23 | |
| Height mm (IFS) | 23 | |
| WEEE/ElektroG | nicht ear-pflichtig | |
| Length (packed, mm) | 90 | |
| Width (packed, mm) | 65 | |
| Height (packed, mm) | 41 | |
| Volume (packed, dm3) | 0.23985 dm3 | |
| Art. no. | 13010004 | |
| Weight (gross, kg) | 0,620 | |
| Weight PAP (kg) | 0,000 | |
| Weight PVC (kg) | 0,003 | |
| GTIN | 4018754013005 | |
| Country of origin AWR | GERMANY | |
| Region of origin | Nordrhein-Westfalen | |
| Customs tariff no. | 82042000 | |
| Packing standard | 5 | |
| Weight | 120 g | |
| | | |

Variants.

| Art. no. | Model no. (ERP) | Description | GTIN |
|----------|-----------------|-------------------------|---------------|
| 13010001 | 509/2 | 1/2 " Extension L.52mm | 4018754012978 |
| 13010002 | 509/5 | 1/2 " Extension L.130mm | 4018754012985 |
| 13010003 | 509/10 | 1/2 " Extension L.255mm | 4018754012992 |
| 13010004 | 509/3 | 1/2 " Extension L.75mm | 4018754013005 |

GTIN.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200 info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal