€ STAHL**WILLE**()®



Tool trolleys 95 PRO

95/7 PRO

 Product no.
 81200163

 GTIN
 4018754334667

 Model
 95/7 A PRO

 Label.
 Tool trolley 95/7 PRO 7 drawers 496 x 827 x 1020 mm anthracite, RAL 7016; black, RAL 9005

 Properties.
 • three-stage safety concept:

 central locking with a lateral cylinder lock and hinged key
 individual locks prevent inadvertent opening during transit
 tilt protection - multiple drawers cannot be pulled out at the same time
 stainless steel with reinforced handle
 all-round collision protection with impact damping
 tightly welded, resilient work and storage surface; end panel made of stainless steel

- oil and acid-resistant ball-bearing smooth-running wheels (Ø 125 mm) with thread guards to protect the bearings from dirt and threads, with 2 locking brakes
- paper roll holder and spray can holder included
- 7 easily removable drawers, black, full-extension runners with bearing cage guide
- two-sided perforated panel for hooks no. 8031- 8041, e.g. for larger tools
- can be fitted with STAHLWILLE standard and TCS inlays

Benefits.

7 easily removable drawers with practical full extension; the ball cage guide ensures smooth operation.

Oil and acid-resistant easy-running wheels (125 mm) with thread protection safeguard the bearings from dirt and threads, equipped with 2 locking brakes.

The all-round bumper with impact damping effectively protects the workshop trolley and its surroundings from damage in the event of collisions. The spacious storage area is fully welded and reliably sealed to protect the interior of the workshop.

Central locking via cylinder lock with a foldable key; the tilt protection prevents multiple drawers from being pulled out simultaneously.

1



Product highlights.



Takes on anything.

High-quality materials such as the tightly welded stainless steel tray provide the durability that is typical of STAHLWILLE, and prevent liquids from penetrating the interior of the trolley. The working area of 827 x 496 mm is particularly suitable for working on large components. Thanks to its robust design, the 95 PRO achieves a static load-bearing capacity of 750 kg. The drawers can be loaded with up to 30 kg thanks to stiffening, and the bottom drawer can even be loaded with up to 45 kg.

· · · ·

Secure down to the last detail.

The drawers are centrally locked using a cylinder lock with a folding key. The singledrawer lock prevents unintentional opening while driving. In addition, only one drawer can always be opened at a time, ensuring reliable tipping protection.



Full configuration as standard.

Whether it is a roll of paper towels or spray can holder, all-round collision protection with impact damping, perforation on both sides for attaching accessories, parking brakes or oil and acid-resistant smooth-running wheels (Ø 125 mm) with thread guard. Our tool trolley comes with many features as standard.



Optimally organised.

All drawers can be extended up to 100 %. Combining the use of STAHLWILLE standard and TCS inlays, or the variable drawer dividers, ensures a clear overview and convenient access to tools.

Technologies and features.




Modular Inlay System

This flexible solution for tool storage makes it possible to customise your tool trolley or tool box with 1/6, 1/3, 2/3 or 3/3 foam inserts.

Tool Control System

The intelligent modular inlay system protects and organises the tools in tool boxes, tool trolleys and workbenches. Two-colour foam inlays make checking the completeness of the tools quick and easy.

Technical drawing.



Technical attributes.

Logistics data.

Width mm (b)827 mmWidth mm (IFS)496Colouranthracite, RAL 7016; black, RAL 9005Height mm (IFS)633Colour abbreviationRAL 7016; RAL 9005Length (packed, mm)836Height mm (h)1020 mmWidt (packed, mm)577Length mm (L)967 MHeight (packed, mm)940Model no.957 A PR0Volume (packed, dm3)61.28808 dm3Internal drawer dimension mm (2x) 346 x 528 x 118 mm (2x) 346 x	Number of drawers	7	Depth mm (IFS)	720
black, RAL 9005WEEE/ElektroGnicht ear-pflichtigColour abbreviationRAL 7016; RAL 9005Length (packed, mm)836Height mm (h)1020 mmWidth (packed, mm)587Length mm (L)496 mmHeight (packed, mm)940Model no.95/7 A PROVolume (packed, dm3)461.28808 dm3Internal drawer dimensions mm346 x 528 x 75 mm (4x) 346 x 528 x 118 mm (2x) 346 x 528 x 118 (134 mm (1x))Art. no.81200163Drawer load capacity30 kg 30 kg 45 kgWeight (gross, kg)7,500Load capacity750 kgGTIN4018754334667Country of origin AWRCHINARegion of originAusländischer UrsprungLoad capacityF50 kgGustoms tariff no.94032080Feedor of riginAusländischer UrsprungCustoms tariff no.94032080Feedor of rigin11Feedor of riginFeedor of rigin	Width mm (b)	827 mm	Width mm (IFS)	496
Colour abbreviationRAL 7016; RAL 9005Length (packed, mm)836Height mm (h)1020 mmWidth (packed, mm)587Length mm (L)496 mmHeight (packed, mm)940Model no.95/7 A PR0Volume (packed, dm3)461.28808 dm3Internal drawer dimensions mm346 x 528 x 75 mm (4x) 346 x 528 x 118 mm (2x) 346 x 528 x 118 	Colour		Height mm (IFS)	863
Height mm (h)1020 mmWidth (packed, mm)838Length mm (L)496 mmHeight (packed, mm)940Model no.95/7 A PR0Volume (packed, dm3)461.28808 dm3Internal drawer dimensions mm346 x 528 x 75 mm (4x) 346 x 528 x 118 m (2x) 346 x 528 x 118 (134 mm (1x))Art. no.81200163Drawer load capacity30 kg 30 kg 45 kgWeight (gross, kg) Weight PAP (kg)9,000Drawer load capacity30 kg 30 kg 45 kgWeight PVC (kg)0,000For load capacity750 kgGTIN018754334667Keigon of origin AWRCHINAKeigon of origin AWR94032080Veight gross tariff no.9403208094032080			WEEE/ElektroG	nicht ear-pflichtig
Length mm (L)496 mmWidth (packed, mm)587Model no.95/7 A PROHeight (packed, mm)940Internal drawer dimensions mm346 x 528 x 75 mm (4x) 346 x 528 x 118 mm (2x) 346 x 528 x 118 mm (2x) 346 x 528 x 118 mm (2x) 346 x 528 x 134 mm (1x)Art. no.81200163Drawer load capacity30 kg 30 kg 45 kgWeight (gross, kg)7,500Drawer load capacity30 kg 30 kg 45 kgWeight PVC (kg)0,000Load capacity750 kgGTIN4018754334667Country of origin AWRCHINAAusländischer UrsprungCustoms tariff no.9403208094032080Packing standard11	Colour abbreviation	RAL 7016; RAL 9005	Length (packed, mm)	836
Model no.95/7 A PROVolume (packed, mm)940Internal drawer dimensions mm346 x 528 x 75 mm (4x) 346 x 528 x 118 mm (2x) 346 x 528 x 118 mm (2x) 346 x 528 x 134 mm (1x)Art. no.81200163Drawer load capacity30 kg 30 kg 45 kgWeight (gross, kg) Weight PAP (kg)7,500Drawer load capacity750 kgGTIN4018754334667Load capacity750 kgGTIN4018754334667Load capacityKeight of origin AWRCHINALoad capacityFegion of origin AWR0,000Load capacityFegion of origin for a fight of the packed o	Height mm (h)	1020 mm	Width (packed, mm)	587
Internal drawer dimensions mm346 x 528 x 75 mm (4x) 346 x 528 x 118 mm (2x) 346 x 528 x 118 mm (2x) 346 x 528 x 134 mm (1x)Art. no.81200163Drawer load capacity30 kg 30 kg 45 kgWeight (gross, kg)79,000Drawer load capacity30 kg 30 kg 45 kgWeight PVC (kg)0,000Load capacity750 kgGTIN4018754334667Country of origin AWRCHINARegion of origin Customs tariff no.Ausländischer UrsprungPacking standard1	Length mm (L)	496 mm	Height (packed, mm)	940
mm (4x) 346 x 528 x 118 mm (2x) 346 x 528 x 134 mm (1x) Art. no. 81200163 Drawer load capacity 30 kg 30 kg 45 kg Weight (gross, kg) 79,000 Load capacity 30 kg 30 kg 45 kg Weight PAP (kg) 0,000 Load capacity 750 kg GTIN 4018754334667 Country of origin AWR CHINA Region of origin Ausländischer Ursprung Customs tariff no. 94032080 Packing standard 1	Model no.	95/7 A PRO	Volume (packed, dm3)	461.28808 dm3
mm (2x) 346 x 528 x 134 mm (1x)Weight (gross, kg)79,000Weight PAP (kg)7,500Drawer load capacity30 kg 30 kg 45 kgWeight PVC (kg)0,000Load capacity750 kgGTIN4018754334667Kegion of origin AWRKegion of origin AWRKusländischer UrsprungLoad capacityKegion of origin AWR94032080Kegion stariff no.94032080Kegion stariff no.94032080		(4x) 346 x 528 x 118 mm (2x) 346 x 528 x	Art. no.	81200163
Drawer load capacity30 kg 30 kg 45 kgWeight PVC (kg)0,000Load capacity750 kgGTIN4018754334667Country of origin AWRCHINARegion of originAusländischer UrsprungCustoms tariff no.94032080Packing standard1			Weight (gross, kg)	79,000
Load capacity750 kgGTIN4018754334667Country of origin AWRCHINARegion of originAusländischer UrsprungCustoms tariff no.94032080Packing standard1			Weight PAP (kg)	7,500
Country of origin AWR CHINA Region of origin Ausländischer Ursprung Customs tariff no. 94032080 Packing standard 1	Drawer load capacity	30 kg 30 kg 45 kg	Weight PVC (kg)	0,000
Region of originAusländischer UrsprungCustoms tariff no.94032080Packing standard1	Load capacity	750 kg	GTIN	4018754334667
Customs tariff no.94032080Packing standard1			Country of origin AWR	CHINA
Packing standard 1			Region of origin	Ausländischer Ursprung
			Customs tariff no.	94032080
Weight 71500 g			Packing standard	1
			Weight	71500 g

Variants.

Art. no.	Model no. (ERP)	Description	GTIN
81200163	95/7 A PRO	Tool trolley 95/7 PRO 7 drawers 496 x 827 x 1020 mm anthracite, RAL 7016; black, RAL 9005	4018754334667

81200164	95/7 B PRO	Tool trolley 95/7 PRO 7 drawers 496 x 827 x 1020 mm blue, RAL 270 30 35; black, RAL 9005	4018754334674
81200165	95/7 R PRO	Tool trolley 95/7 PRO 7 drawers 496 x 827 x 1020 mm red, RAL 3020; black, RAL 9005	4018754334681

GTIN.



Accessories (for).




90432727 Spray can holder



80320060 Twin hook





81483004 Paper roll holder



80340040 Twin hook



89010040 Cable holder



80340050 Twin hook



83812070 Empty tray for small components



80350017 Square lug



80350020 Square lug



89010041 Laptop holder



81484001 Drawer divider



89010003 Non-slip mat GRIPMAT



80360012 Spring clip



90432806 Rubber mat



81484002 Drawer divider



80360018 Spring clip



4

Product data sheet 15.05.2025



81485006 Spring clip



80410235 Holding device for spanners



80360024 Spring clip



80310030 Single hook



81485012 Spring clip



80310060 Single hook



80380030 Container



80320030 Twin hook



89011053 Waste bin



89010042 Laptop holder adaptor




90432802 Protective cover



80310090 Single hook

Spare part(s) for.



81483004 Paper roll holder



90432719 Spray can holder



81490001 Wheel set



Images.









STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200 info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal