∽stahl**wille**O[®]



Complete calibration system

7706

 Product no.
 96521074

 GTIN
 4018754180967

 Model
 7706-11PC



Label.

Properties.

- Measurement without displacement of the force application point
- Due to a special force transmission system, the mechanical calibration device no. 7791 avoids a displacement of the point of application of force during the calibration process.
- driven by the handwheel, the lever mounted below the test rail is moved linearly by a spindle
- the linear movement is converted into a rotary movement which acts on the transducer
- the torque spanner to be calibrated remains constant in its position during the entire calibration process
- in this way, measurement errors resulting from a shift of the point of application of the force are avoided
- the torque spanner is automatically aligned horizontally by a low-friction ball bushing
- another ball bushing ensures friction-free support of the torque wrench
- the resulting reduction of the transverse forces on the transducer and the friction on the torque wrench support leads to a reduction of the measuring errors.
- Patents pending

Complete calibration system

- Included in delivery:
- Transducer
- Square adaptor
- USB adaptor and cable for transferring measurement data to a personal computer
- Administration software for calibration certificates

Technical attributes.

Logistics data.

Width mm (b)	690 mm	Depth mm (IFS)	1780
Height mm (h)	600 mm	Width mm (IFS)	690
Length mm (L)	1780 mm	Height mm (IFS)	600

WEEE/ElektroG	Großgeräte B2B
Length (packed, mm)	1780
Width (packed, mm)	690
Height (packed, mm)	600
Volume (packed, dm3)	736.92 dm3
Art. no.	96521074
Weight (gross, kg)	110,500
Weight PAP (kg)	0,000
Weight PVC (kg)	0,000
GTIN	4018754180967
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	90318080
Packing standard	1
Weight	110500 g

Variants.

Art. no.	Model no. (ERP)	Description	GTIN
96521068	7706-8PC	Complete calibration system	4018754179138
96521069	7706-9PC	Complete calibration system	4018754179145
96521070	7706-10PC	Complete calibration system	4018754179152
96521074	7706-11PC	Complete calibration system	4018754180967

GTIN.



Images.

			mit aufeinander abgestimmten Komponenten						
* +	Menore factories	Kabel Nr. 7751-1 USB A.Sapty		K/Brucker - sicht im Lieferunting ontwate					
Komplettanlagen Sr.	7706-8 PC	7706-5 PC	7704-50 PC	7706-11.PS					
Code	96 52 19 68	96 52 12 69	96 52 10 70	96 52 10 74					
Gewichtung	14.2	67.6	20.6	200.4					
benich/N m	1-22	2-200	2-1000	20-3000					
Micharische		Nr. 7791	N. 7291	NK.7792					
Brateurgruphitung									
Protouthatz for	Nr. 7790								
Drehinomentschrauben-									
dreter +Stand alone+ Environment			NK 7291-1	NK 7792-1					
Contract R			N. 179111	NR. 77921					
Moswetauhehmer	Nr: 7720-15-01-30 Nrtl	Nr. 7729-2-(2-20 Nm)	Nr. 7728-2 (2-20 Nrtl)	Nr. 7729-20 (20-200 M					
Labor		NY 7720-10 (30-300 NH)	Nr 7728-10-110-100 Met	Nr 7725-300 (300-300					
			Nr. 7728-40 (40-400 Mrtl)	Nr. 7725-300 (300-300					
			Nr. 7729-300 (300-3000 Nr.						
USB-Aduptor	Nr 7757-1	Nr. 7757-1	Nr. 7757-1	NK 7757-1					
Kinkensteckerkabel	Nr. 7751	Nr. 7751	Nr. 7751	Nr. 7751					
Kobel zu Nr. 7728	NK 7251-1	NK 2211-1	NK 2251-1	NK 2291-1					
Meseetautoener									
Jun USB-Adapter)									
Vienantadapter	NY: 431 (3/8° ♥ × 1/4° ■)	NE 431 (2/5" © x 1/4" 10 NE 40706 (2/1" © x 3/6" 10	NR. 7787 (L/V O x 3/V B) NR. 7788 (L/V O x 3/V B)	NE 7787 0/4" Ф X 3/4" NE 7788-047" Ф X 3/4"					
		14, 4000 (1/4, 0 × 3/6, B)	NR. 7788-018" O x 312" B	14,7785-0/2 •× 3/41 14,7785-0/2 •× 3/41					
			N. FORMULT ON DAY B	NE 7789-2789 012 01 204					
				N. 7789-3-07 OX 1N					
				Nr. 7789-4 (L/H O x L/2					
				Nr. 7799-5 (3/8" • × 1/					
Kalibrier vierkant-		NC 7346/6 (3/4"	NE 734924 (1/47 🖬)	Nr. 73403 (t/V 🖬					
Ersteinenzpage		NC 73465 D/W	Nr. 734K/5-039 10 Nr. 734K/2015/2110	NE 734625-019 10 NE 7346220 (1-07 10					
			Nr. 7386(30 (1))*	NE 7340320 (1/2***					
Verbind centrile	NO. 3113-1017 - 1017 - 1017		N. 7 JULY 47 12 1	10.7300001010					
	N:30510/00 (0/005)								
Kalbriersoftware	TORNAMOTER	TORNAMOTER	TORHMAUTER	100HAMASTER					

STAHLWILLE Eduard Wille GmbH & Co. KG Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-393 info@stahlwille.de · www.stahlwille.com © STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal