



Screwdriver socket

1440-1446



Product no. **08160020**
GTIN **4018754011421**
Model **1442 T 20 BIT-
SCHRAUBENDREHEREINSATZ**



Label. Screwdriver socket T20 Hex C 6,3 L.26mm

Properties.

- with hollow tip (TORX® Tamper Resistant)
- for recessed TORX® screws
- hex head DIN 3126 / ISO 1173

Technical attributes.

Drive profile	TORX®
External hex (inch)	1/4
DIN	DIN 3126 / ISO 1173
Size of output profile	T20
Length mm (L)	26 mm
Model no.	1442
External hex drive	C 6,3

Logistics data.

Depth mm (IFS)	26
Width mm (IFS)	7
Height mm (IFS)	7
WEEE/ElektroG	nicht ear-pflichtig
Length (packed, mm)	85
Width (packed, mm)	35
Height (packed, mm)	7
Volume (packed, dm3)	0.020825 dm3
Art. no.	08160020
Weight (gross, kg)	0,063
Weight PAP (kg)	0,000
Weight PVC (kg)	0,002
GTIN	4018754011421
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82079030
Packing standard	10
Weight	6 g

Variants.

Art. no.	Model no. (ERP)	Description	GTIN
08160010	1440 T 10 BIT-SCHRAUBENDREHEREINSATZ	Screwdriver socket T10 Hex C 6,3 L.26mm	4018754011407
08160015	1441 T 15 BIT-SCHRAUBENDREHEREINSATZ	Screwdriver socket T15 Hex C 6,3 L.26mm	4018754011414
08160020	1442 T 20 BIT-SCHRAUBENDREHEREINSATZ	Screwdriver socket T20 Hex C 6,3 L.26mm	4018754011421
08160025	1443 T 25 BIT-SCHRAUBENDREHEREINSATZ	Screwdriver socket T25 Hex C 6,3 L.26mm	4018754011438
08160027	1444 T 27 BIT-SCHRAUBENDREHEREINSATZ	Screwdriver socket T27 Hex C 6,3 L.26mm	4018754011445
08160030	1445 TORX®	Screwdriver socket T30 Hex C 6,3 L.26mm	4018754011452
08160040	1446 T 40 BIT-SCHRAUBENDREHEREINSATZ	Screwdriver socket T40 Hex C 6,3 L.26mm	4018754011469

GTIN.



Accessories (for).



11131010
Bit fine-tooth ratchet



11131011
Bit ratchet



11132020
Bit fine-tooth ratchet



11133030
Bit fine-tooth
mini ratchet



41541620
Ratcheting bit holder
spanner



18073026
Bit holder w.handle



18093016
Bit holder



18103016
Bit holder w.handle



18110016
Bit holder



18120001
Bit ratchet screwdriver



18120002
Bit ratchet screwdriver