



QuickRelease extension

509QR



Product no. **13011003**
GTIN **4018754141289**
Model **509QR/10**



Label. 1/2 " QuickRelease extension L.255mm

- Properties.**
- with QuickRelease safety lock
 - with ball locking function
 - Chrome Alloy Steel, chrome-plated
 - DIN 3123 / ISO 3316

Benefits.

Practical extension for hand operated sockets with 1/2" square drive and ball lock.

The extension ensures stable connections even in long threaded holes.

The high-quality Chrome Alloy Steel construction promises a long service life.

The socket wrench adapter ensures optimum power transmission even in hard-to-reach places.

Patented QuickRelease locking system secures every component from ratchet and the joint to the socket without loss of space.



Product highlights.



PRODUCT IMAGE
IN PROGRESS

A solution for every situation.

Our socket extensions are available in various versions (different output sizes, straight and bent shapes, with and without QR, imperial, with wobble drive or as a VDE version).



PRODUCT IMAGE
IN PROGRESS

Safe for hard-to-reach screws.

The combination of optimal working length and ball lock ensures a secure hold of the sockets. This enables high and safe power transmission in hard-to-reach places and for low-lying threaded connections, e.g. for repairs on cars and trucks.



PRODUCT IMAGE
IN PROGRESS

Outstanding craftsmanship.

The tool is forged from high-quality Chrome Alloy Steel, which gives it outstanding stability and durability in continuous use. It also has a corrosion-resistant chrome-plated finish.

Technologies and features.



QuickRelease

The QuickRelease safety lock prevents unintentional loss of insert tools. These click securely into place, and are only released again at the push of a button for a quick tool change.

Technical attributes.

| | |
|------------------------------|---------------------|
| External square drive (inch) | 1/2 |
| Internal square drive (inch) | 1/2 " |
| d | 23 mm |
| DIN | DIN 3123 / ISO 3316 |
| Size | 10 |
| Length mm (L) | 255 mm |

Logistics data.

| | |
|----------------------|---------------------|
| Depth mm (IFS) | 255 |
| Width mm (IFS) | 24 |
| Height mm (IFS) | 24 |
| WEEE/ElektroG | nicht ear-pflichtig |
| Length (packed, mm) | 255 |
| Width (packed, mm) | 25 |
| Height (packed, mm) | 25 |
| Volume (packed, dm3) | 0.159375 dm3 |
| Art. no. | 13011003 |
| Weight (gross, kg) | 0,350 |
| Weight PAP (kg) | 0,000 |

| | |
|-----------------------|---------------------|
| Weight PVC (kg) | 0,006 |
| GTIN | 4018754141289 |
| Country of origin AWR | GERMANY |
| Region of origin | Nordrhein-Westfalen |
| Customs tariff no. | 82042000 |
| Packing standard | 1 |
| Weight | 341 g |

Variants.

| Art. no. | Model no. (ERP) | Description | GTIN |
|----------|-----------------|--------------------------------------|---------------|
| 13011001 | 509QR/2 | 1/2 " QuickRelease extension L.52mm | 4018754141265 |
| 13011004 | 509QR/3 | 1/2 " QuickRelease extension L.75mm | 4018754151011 |
| 13011002 | 509QR/5 | 1/2 " QuickRelease extension L.130mm | 4018754141272 |
| 13011003 | 509QR/10 | 1/2 " QuickRelease extension L.255mm | 4018754141289 |

GTIN.

