



QuickRelease extension

405QR



Product no. **11011002**
GTIN **4018754141227**
Model **405QR/6**



Label. 1/4 " QuickRelease extension L.150mm

Properties.

- with QuickRelease safety lock
- with ball locking function
- Chrome Alloy Steel, chrome-plated
- DIN 3123 / ISO 3316

Benefits.

QuickRelease secures every single link in the tool chain - from the ratchet to the extension to the socket.

Other locking systems on the market only fix the first insert tool on the ratchet.

More efficiency. Tool changing is not only safe, but is quicker.

Prevents the loss of sockets, even in hard-to-reach places or in long threaded holes.

Easily accessible and ergonomically optimised mechanism secures the tool without taking up extra space.



Technologies and features.



QuickRelease

The QuickRelease safety lock prevents unintentional loss of insert tools. These click securely into place, and are only released again at the push of a button for a quick tool change.

Technical attributes.

External square drive (inch)	1/4
Internal square drive (inch)	1/4 "
d	11,6 mm
DIN	DIN 3123 / ISO 3316
Size	6
Length mm (L)	150 mm

Logistics data.

Depth mm (IFS)	150
Width mm (IFS)	12
Height mm (IFS)	12
WEEE/ElektroG	nicht ear-pflichtig
Length (packed, mm)	151
Width (packed, mm)	13
Height (packed, mm)	13
Volume (packed, dm3)	0.025519 dm3
Art. no.	11011002
Weight (gross, kg)	0,325
Weight PAP (kg)	0,000
Weight PVC (kg)	0,004
GTIN	4018754141227
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82042000
Packing standard	5
Weight	65 g

Variants.

Art. no.	Model no. (ERP)	Description	GTIN
11011001	405QR/2	1/4 " QuickRelease extension L.54mm	4018754141210
11011006	405QR/4	1/4 " QuickRelease extension L.102mm	4018754196128
11011002	405QR/6	1/4 " QuickRelease extension L.150mm	4018754141227
11011013	405QR/13 VERLAENGERUNG 1/4 ZOLL MIT QUICK-RELEASE	1/4 " QuickRelease extension L.330mm	4018754196135

11011005
405QR/14
VERLAENGERUNG
1/4 ZOLL MIT
QUICK-RELEASE

1/4 " QuickRelease extension L.356mm

4018754173662

GTIN.

