




Bicycle tool set in textile bag 701

Radset 701

Product no. **96500001**
GTIN **4018754343942**
Model **Rad-Set 701**



Label.

Bicycle tool set in textile bag Radset 701 L.230mm W.102mm H.40mm 18 pcs.

Properties.

Mobile bicycle workshop in practical textile bag with STAHLWILLE logo for easy and secure attachment to the frame.

High-quality bicycle tool for common screw profiles: Hexagon socket, hexagon and TORX®.

Top feature torque spanner no. 701/2*

- indicates with OLED display, monochrome
- very slim and compact design for small torques from 1 - 20 N·m
- Battery Li-Ion AA 3.7V / 800mAh included

Contents 17-pcs:

1 SENSOTORK® No. 701/2

1 USB connection cable No. 714

3 Double open-end spanners No. 12: 6 x 6; 7 x 7; 10 x 10 mm; 50 and 75° jaw position

5 Hexagon sockets 1/4" No. 44 K: 3; 4; 5; 6; 8 mm

5 TORX® screwdriver bits 1/4" No. 44 KTX: T10; T15; T20; T25; T27

1 Mini QuickRelease fine-tooth ratchet 1/4" No. 418QR: L.90 mm

1 QuickRelease extension 1/4" No. 405QR/2: L.54 mm

1 Mini water pump pliers No. 65156125: L.125 mm

*See No. 701/2, 96504502
for technical specifications.

Benefits.

Controlled screw tightening of sensitive components e.g. made of carbon, aluminium.

Wide torque range from 1 - 20 N·m.

Contains all necessary quality tools for maintenance in a mobile storage unit.

For all common screw profiles: Hexagon socket, hexagon and TORX®.



Technologies and features.



QuickRelease

The QuickRelease safety lock prevents unintentional loss of insert tools. These click securely into place, and are only released again at the push of a button for a quick tool change.



Fine-tooth ratchet mechanism

Our fine-tooth ratchets with 80 teeth re-engage after just 4.5° for maximum precision in confined spaces. 8 pairs of parallel teeth simultaneously ensure maximum load-bearing capacity and particularly smooth running, even at high torques.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.



Factory calibration certificate (ISO calibration)

Our torque tools, transducers, and test equipment are delivered with a factory calibration certificate in accordance with DIN EN ISO 6789-2:2017, and based on DKD-R 10-8 for traceability of the measuring equipment.

Technical attributes.

Number of tools	18 pcs.
Width mm (b)	102 mm
Internal width	85 mm
Height mm (h)	40 mm
Length mm (L)	230 mm
Internal length	208 mm

Logistics data.

Depth mm (IFS)	240
Width mm (IFS)	110
Height mm (IFS)	40
WEEE/ElektroG	Kleingeräte B2C
Length (packed, mm)	240
Width (packed, mm)	110
Height (packed, mm)	40
Volume (packed, dm3)	1.056 dm3
Art. no.	96500001

Weight (gross, kg)	0,692
Weight PAP (kg)	0,000
Weight PVC (kg)	0,004
GTIN	4018754343942
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82060000
Packing standard	1
Weight	692 g

Variants.

Art. no.	Model no. (ERP)	Description	GTIN
96500001	Rad-Set 701	Bicycle tool set in textile bag Radset 701 L.230mm W.102mm H.40mm 18 pcs.	4018754343942

GTIN.



Images.

