

Electronic TORX® screwdrivers

4754

Product no. 47540007

GTIN 4018754355198

Model **4754 T7**



Label.

Electronic TORX® screwdriver T7 L.50mm

Properties.

- for recessed TORX® screws
- · rotating cap with ergonomic recess
- narrow, practical, fast rotating handle
- with laser marking

Benefits.

Whether for electronic, IT or precision engineers - our screwdriver for recessed TORX $^{\circ}$ screws is designed for precise work.

The specially hardened black tip with an optimal fit ensures a long service life.

The blade is made of high-quality Chrome Alloy Steel with a chrome-plated, corrosion-resistant surface for a long service life.

The handy fast rotating handle in combination with a rotary cap allows for faster and more efficient twisting without having to put the screwdriver down.

The non-slip multi-component handle ensures maximum control and supports ergonomic working.







Product highlights.



For precise screwdriving.

Our high-quality electronics screwdriver for recessed TORX® screws is an indispensable tool for millimetre-precise work in electronics and precision mechanics. Whether replacing an SSD in a laptop, maintaining automotive electronics or repairing a delicate clockwork mechanism, this screwdriver offers maximum precision and versatility.



Fast spinning.

By placing your hand on the rotary cap and the fast-rotating handle, you can twirl the screwdriver particularly quickly without having to put it down repeatedly.



Convenient handling.


The multi-component handle promotes ergonomic and comfortable working thanks to a well thought-out combination of hard and soft zones.



Excellent quality.

The Chrome Alloy Steel blade with specially hardened black tip ensures the highest quality and a long service life.

Technical drawing.



Technical attributes.

Drive profile	TORX®
Size of output profile	T7
L1	50 mm
L2	150 mm

Logistics data.

Depth mm (IFS)	164
Width mm (IFS)	20
Height mm (IFS)	20
WEEE/ElektroG	nicht ear-pflichtig
Length (packed, mm)	167
Width (packed, mm)	80
Height (packed, mm)	30

0.4008 dm3
47540007
0,112
0,042
0,000
4018754355198
GERMANY
Nordrhein-Westfalen
82054000
5
17 g

Variants.

Art. no.	Model no. (ERP)	Description	GTIN
47540004	4754 T4	Electronic TORX® screwdriver T4 L.50mm	4018754355167
47540005	4754 T5	Electronic TORX® screwdriver T5 L.50mm	4018754355174
47540006	4754 T6	Electronic TORX® screwdriver T6 L.50mm	4018754355181
47540007	4754 T7	Electronic TORX® screwdriver T7 L.50mm	4018754355198
47540008	4754 T8	Electronic TORX® screwdriver T8 L.60mm	4018754355204
47540009	4754 T9	Electronic TORX® screwdriver T9 L.60mm	4018754355211
47540010	4754 T10	Electronic TORX® screwdriver T10 L.60mm	4018754355235
47540015	4754 T15	Electronic TORX® screwdriver T15 L.80mm	4018754355273

GTIN.

