



Screwdriver socket

44KTX

Product no. **01350010**
GTIN **4018754001149**
Model **44 KTX T 10**
SCHRAUBENDREHEREINSATZ
1/4 ZOLL




Label. 1/4 " Screwdriver socket L.28mm

Properties.

- for recessed TORX® screws
- 1/4" internal square drive
- Chrome Alloy Steel, chrome-plated

Technical drawing.



Technical attributes.

Drive profile	TORX®
Internal square drive (inch)	1/4 "
d	11,6 mm
Size of output profile	T10
L1	28 mm
L2	16 mm

Logistics data.

Depth mm (IFS)	28
Width mm (IFS)	12
Height mm (IFS)	12
WEEE/ElektroG	nicht ear-pflichtig
Length (packed, mm)	65
Width (packed, mm)	35

Height (packed, mm)	15
Volume (packed, dm3)	0.034125 dm3
Art. no.	01350010
Weight (gross, kg)	0,053
Weight PAP (kg)	0,000
Weight PVC (kg)	0,002
GTIN	4018754001149
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82042000
Packing standard	5
Weight	10 g

Variants.

Art. no.	Model no. (ERP)	Description	GTIN
01350008	44 KTX T 8 SCHRAUBENDREHEREINSATZ 1/4 ZOLL	1/4 " Screwdriver socket L.28mm	4018754001125
01350009	44 KTX T 9 SCHRAUBENDREHEREINSATZ 1/4 ZOLL	1/4 " Screwdriver socket L.28mm	4018754001132
01350010	44 KTX T 10 SCHRAUBENDREHEREINSATZ 1/4 ZOLL	1/4 " Screwdriver socket L.28mm	4018754001149
01350015	44KTX TX15 TORX®	1/4 " Screwdriver socket L.28mm	4018754001156
01350020	44KTX TX20 TORX®	1/4 " Screwdriver socket L.28mm	4018754001163
01350025	44KTX TX25 TORX®	1/4 " Screwdriver socket L.28mm	4018754001170
01350027	44KTX TX27 TORX®	1/4 " Screwdriver socket L.28mm	4018754001187
01350030	44KTX TX30 TORX®	1/4 " Screwdriver socket L.28mm	4018754001194
01350040	44KTX TX40 TORX®	1/4 " Screwdriver socket L.28mm	4018754001200

GTIN.



