



Combination spanners i.TCS inlay

TCS OPEN BOX 13a/19

Product no. **96838778**
GTIN **4018754191277**
Model **TCS OPEN BOX 13a/19**



Label. Combination spanners i.TCS inlay TCS OPEN BOX 13a/19 3/16-1 19 pcs.

Properties.

- **imperial, identical** end spanner sizes
- ring-end cranked 15°, jaw angled 15°
- reinforcement between jaw and shaft
- durable, slim and lightweight design
- extremely resilient and durable
- high flexural strength due to double-T profile
- STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
- drop-forged, hardened, and cooled in an oil bath
- Chrome Alloy Steel, chrome-plated
- DIN 3113 Form A/ISO 7738 Form A
- safely integrated in the modular Tool Control System (TCS)

Contains 19-pieces:

19 combination spanners **No. 13a**: 3/16; 7/32; 1/4; 9/32; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16; 19/32; 5/8; 11/16; 3/4; 25/32; 13/16; 7/8; 15/16; 1"

Benefits.

Made in Germany - Combination spanners i.TCS inlay in TCS inlay, 19 pcs., 3/16-1 mm, ring side 15° angled, DIN 3113 Form B, Chrome Alloy Steel.


Product highlights.



PRODUCT IMAGE
IN PROGRESS

Non-slip surface

STAHLWILLE spanners have a high-quality surface finish with good grip, making it possible to work safely and efficiently, even with greasy hands. The non-slip property improves control during handling.



A solution for every situation.

Our combination spanners are available in different versions (metric, imperial, long, with Spline-Drive profile) and as sets in textile bags, roll-up tool pouches or TCS inlays.



PRODUCT IMAGE
IN PROGRESS

Order and check.

The set is securely organised in a STAHLWILLE TCS foam inlays. These durable inlays are chemical-resistant and have precise recesses for each tool. The eye-catching yellow underside of the TCS inlays serves as a signal surface to enable quick checking of the set's completeness.

Technologies and features.



Tool Control System

The intelligent modular inlay system protects and organises the tools in tool boxes, tool trolleys and workbenches. Two-colour foam inlays make checking the completeness of the tools quick and easy.



Double-T profile

Our combination and ring spanners have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



Thin-walled rings


The thin wall diameter of our rings makes it easier to work in confined spaces. The ring sides are taller than standard nuts, which prevents jamming.



Offset Shaft Design

Our spanners are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

Technical drawing.



Technical attributes.

Number of tools	19 pcs.
Range	3/16-1
Width mm (b)	350 mm
DIN	DIN 3113 Form B
Height mm (h)	55 mm
Length mm (L)	350 mm
Alloy	Chrome Alloy Steel
Surface	chrome-plated
Drawer dividers	2/3

Logistics data.

Depth mm (IFS)	365
Width mm (IFS)	355
Height mm (IFS)	85
WEEE/ElektroG	nicht ear-pflichtig
Length (packed, mm)	365
Width (packed, mm)	355
Height (packed, mm)	85
Volume (packed, dm3)	11.013875 dm3
Art. no.	96838778
Weight (gross, kg)	2,660
Weight PAP (kg)	0,256
Weight PVC (kg)	0,000
GTIN	4018754191277
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82041100
Packing standard	1
Weight	2000 g

Variants.

Art. no.	Model no. (ERP)	Description	GTIN
96838778	TCS OPEN BOX 13a/19	Combination spanners i.TCS inlay TCS OPEN BOX 13a/19 3/16-1 19 pcs.	4018754191277

GTIN.



Images.

