



Ratchet ring spanners i.TCS inlay

TCS 13217 WT OPEN RATCH 17/12

Product no. **96830128**
GTIN **4018754248834**
Model **TCS 13217 WT OPEN RATCH
17/12**



Label.

Ratchet ring spanners i.TCS inlay TCS 13217 WT OPEN RATCH 17/12 8-19 12 pcs.

Properties.

- For the drawers of the tool trolley no. 13217
- 460 x 250 x 30 mm
- 12-pieces

Benefits.

High-quality combination ratcheting spanner set in metric sizes.

The 72-tooth ratchet allows a working angle of only 5° - for efficient work even in the tightest spaces.

The distinctive STAHLWILLE round finish gives the ratchet ring open-end spanner a non-slip and pleasant feel for safe working, even with oil-smeared hands.

The practical safety insert system is an intelligent storage solution for tool trolleys and workshop trolleys.

The ring side has a flat design with double hexagon and a jaw position of 15° for working even in hard-to-reach places.

Product highlights.



Field-tested configuration.

Our ratcheting combination spanner set contains the most common spanner sizes from 8 to 19 mm and therefore covers a wide range of possible applications. The jaw opening is inclined by 15°, which means that it lies precisely against the screws and therefore guarantees optimum power transmission. The integrated fine-tooth ratchet enables screws to be tightened quickly and efficiently without having to remove the spanner.



Excellent workmanship.

Our spanners are made from high-quality forged chrome alloy steel, giving them outstanding robustness and durability, even in continuous and prolonged use. They also have a corrosion-resistant chrome-plated finish.



Non-slip surface.

The STAHLWILLE spanners have a high-quality surface structure with a good grip, which even allows you to work safely and securely with oily hands. The non-slip property increases handling control.



Order and check.

The set is securely organised in a STAHLWILLE TCS foam inlays. These durable inlays are chemical-resistant and have precise recesses for each tool. The eye-catching yellow underside of the TCS inlays serves as a signal surface to enable quick checking of the set's completeness.

Technologies and features.



Double-T profile

Our combination and ring spanners have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



Offset Shaft Design


Our spanners are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.



Tool Control System

The intelligent modular inlay system protects and organises the tools in tool boxes, tool trolleys and workbenches. Two-colour foam inlays make checking the completeness of the tools quick and easy.

Technical drawing.



Technical attributes.

| | |
|-----------------|--|
| Number of tools | 12 pcs. |
| Range | 8-19 |
| Width mm (b) | 460 mm |
| Height mm (h) | 30 mm |
| Capacity | 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19 mm |
| Length mm (L) | 250 mm |
| Alloy | Chrome Alloy Steel |
| Surface | chrome-plated |

Logistics data.

| | |
|-----------------------|---------------------|
| Depth mm (IFS) | 460 |
| Width mm (IFS) | 250 |
| Height mm (IFS) | 30 |
| WEEE/ElektroG | nicht ear-pflichtig |
| Length (packed, mm) | 460 |
| Width (packed, mm) | 250 |
| Height (packed, mm) | 30 |
| Volume (packed, dm3) | 3.45 dm3 |
| Art. no. | 96830128 |
| Weight (gross, kg) | 1,485 |
| Weight PAP (kg) | 0,000 |
| Weight PVC (kg) | 0,000 |
| GTIN | 4018754248834 |
| Country of origin AWR | GERMANY |
| Region of origin | Nordrhein-Westfalen |
| Customs tariff no. | 82041100 |
| Packing standard | 1 |
| Weight | 1485 g |

Variants.

| Art. no. | Model no. (ERP) | Description | GTIN |
|----------|-------------------------------------|--|---------------|
| 96830128 | TCS 13217 WT OPEN RATCH 17/12 | Ratchet ring spanners i.TCS inlay TCS 13217 WT OPEN RATCH 17/12 8-19 12 pcs. | 4018754248834 |

GTIN.

