



## Double-ended ring spanners, metric

### StahlwilleSTABIL®21



Product no. **41052124**  
GTIN **4018754021390**  
Model **21 21 x 24**



#### Label.

Double-ended ring spanner Spanner size 21 x 24 mm L.235mm

#### Properties.

- **metric, differing** end sizes
- straight version
- bi-hex with AS-Drive profile
- durable, slim and lightweight design
- high flexural strength due to double-T profile
- STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
- drop-forged, hardened, and cooled in an oil bath
- Chrome Alloy Steel, chrome-plated
- DIN 837 / ISO 10103

## Benefits.

High quality double-ended ring spanner with a straight design in metric spanner sizes.

## Technologies and features.



#### Anti-Slip-Drive


The special AS-Drive profile makes high force transmission to the flats of screws and bolts possible without damaging them. This also prevents stripping of the screw head.

**Double-T profile**

Our combination and ring spanners have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.

**Thin-walled rings**

The thin wall diameter of our rings makes it easier to work in confined spaces. The ring sides are taller than standard nuts, which prevents jamming.

**Technical drawing.****Technical attributes.**

|                             |                     |
|-----------------------------|---------------------|
| <b>a</b>                    | 10 mm               |
| <b>Drive profile</b>        | bi-hex AS-Drive     |
| <b>d1</b>                   | 30,5 mm             |
| <b>d2</b>                   | 34,7 mm             |
| <b>DIN</b>                  | DIN 837 / ISO 10103 |
| <b>Length mm (L)</b>        | 235 mm              |
| <b>Alloy</b>                | Chrome Alloy Steel  |
| <b>Surface</b>              | chrome-plated       |
| <b>Spanner width 1 [mm]</b> | 21 mm               |
| <b>Spanner width 2 [mm]</b> | 24 mm               |

**Logistics data.**

|                              |                     |
|------------------------------|---------------------|
| <b>Depth mm (IFS)</b>        | 233                 |
| <b>Width mm (IFS)</b>        | 35                  |
| <b>Height mm (IFS)</b>       | 10                  |
| <b>WEEE/ElektroG</b>         | nicht ear-pflichtig |
| <b>Length (packed, mm)</b>   | 280                 |
| <b>Width (packed, mm)</b>    | 50                  |
| <b>Height (packed, mm)</b>   | 40                  |
| <b>Volume (packed, dm3)</b>  | 0.56 dm3            |
| <b>Art. no.</b>              | 41052124            |
| <b>Weight (gross, kg)</b>    | 0,640               |
| <b>Weight PAP (kg)</b>       | 0,000               |
| <b>Weight PVC (kg)</b>       | 0,012               |
| <b>GTIN</b>                  | 4018754021390       |
| <b>Country of origin AWR</b> | GERMANY             |
| <b>Region of origin</b>      | Nordrhein-Westfalen |
| <b>Customs tariff no.</b>    | 82041100            |
| <b>Packing standard</b>      | 5                   |
| <b>Weight</b>                | 128 g               |

## Variants.

| Art. no. | Model no. (ERP) | Description                                               | GTIN          |
|----------|-----------------|-----------------------------------------------------------|---------------|
| 41050607 | 21 6 x 7        | Double-ended ring spanner Spanner size 6 x 7 mm L.100mm   | 4018754021222 |
| 41050809 | 21 8 x 9        | Double-ended ring spanner Spanner size 8 x 9 mm L.115mm   | 4018754021239 |
| 41050810 | 21 8 x 10       | Double-ended ring spanner Spanner size 8 x 10 mm L.115mm  | 4018754021246 |
| 41051011 | 21 10 x 11      | Double-ended ring spanner Spanner size 10 x 11 mm L.130mm | 4018754021253 |
| 41051213 | 21 12 x 13      | Double-ended ring spanner Spanner size 12 x 13 mm L.150mm | 4018754021260 |
| 41051317 | 21 13 x 17      | Double-ended ring spanner Spanner size 13 x 17 mm L.165mm | 4018754021291 |
| 41051415 | 21 14 x 15      | Double-ended ring spanner Spanner size 14 x 15 mm L.165mm | 4018754021307 |
| 41051617 | 21 16 x 17      | Double-ended ring spanner Spanner size 16 x 17 mm L.170mm | 4018754021314 |
| 41051719 | 21 17 x 19      | Double-ended ring spanner Spanner size 17 x 19 mm L.185mm | 4018754021338 |
| 41051819 | 21 18 x 19      | Double-ended ring spanner Spanner size 18 x 19 mm L.185mm | 4018754021345 |
| 41051821 | 21 18 x 21      | Double-ended ring spanner Spanner size 18 x 21 mm L.210mm | 4018754021352 |
| 41051922 | 21 19 x 22      | Double-ended ring spanner Spanner size 19 x 22 mm L.210mm | 4018754021369 |
| 41052022 | 21 20 x 22      | Double-ended ring spanner Spanner size 20 x 22 mm L.210mm | 4018754021376 |
| 41052124 | 21 21 x 24      | Double-ended ring spanner Spanner size 21 x 24 mm L.235mm | 4018754021390 |
| 41052427 | 21 24 x 27      | Double-ended ring spanner Spanner size 24 x 27 mm L.290mm | 4018754021406 |
| 41052732 | 21 27 x 32      | Double-ended ring spanner Spanner size 27 x 32 mm L.320mm | 4018754085187 |
| 41053032 | 21 30 x 32      | Double-ended ring spanner Spanner size 30 x 32 mm L.325mm | 4018754021420 |
| 41053034 | 21 30 x 34      | Double-ended ring spanner Spanner size 30 x 34 mm L.325mm | 4018754021437 |

GTIN.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-393

[info@stahlwille.de](mailto:info@stahlwille.de) · [www.stahlwille.com](http://www.stahlwille.com)

© STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal