



Water pump pliers FastGRIP

6572



Product no. **65726180**
GTIN **4018754206377**
Model **6572 Wasserpumpenzange
FastGRIP 180mm**

Label. Water pump pliers FastGRIP Jaw w.28mm L.180mm Head polished

- Properties.**
- self-clamping on the workpiece, reduces effort and prevents slipping
 - sliding slip joint with double support
 - quick adjustment of the pliers at the push of a button
 - variable and smooth fine adjustment
 - induction-hardened serration for impressive dimensional stability and durability
 - with built-in protection against crush injuries
 - high-quality, hardened and tempered for excellent wear resistance
 - Chrome Alloy Steel, forged and oil-hardened
 - plastic coated handles
 - DIN ISO 8976

Benefits.

Infinitely variable and smooth-running quick adjustment at the push of a button on the tool.

The fine-toothed jaw reliably grips objects of various shapes and holds nuts and pipes securely.

The pliers feature a non-slip plastic coating and built-in crush protection for improved ergonomics and safety.

Sliding slip joint with double support increases stability during use.

The inductively hardened jaw teeth provide the water pump pliers with tremendous wear resistance.

Product highlights.



PRODUCT IMAGE
IN PROGRESS

Every action perfectly executed.

For precise work and powerful gripping - STAHLWILLE pliers with non-slip handle. The comfortable handles with rough surface structure allow safe, low-fatigue work, even with smeared hands.



PRODUCT IMAGE
IN PROGRESS

Flexible quick adjustment.

Adaptation to the workpiece is achieved by precise, multi-stage quick adjustment of the pivot pin. Adjustment takes place quickly and easily via a push button, which makes the use of these pump pliers flexible. An integrated clamping protection prevents crushing injuries.



PRODUCT IMAGE
IN PROGRESS

A secure hold and comfortable handling.

The ergonomically designed handles are coated with a non-slip plastic with a rough surface texture. This makes the pliers comfortable to hold and enables fatigue-free working - even with dirty hands. The integrated clamp protection reliably protects against crush injuries.



PRODUCT IMAGE
IN PROGRESS

Particularly durable and resistant.

Made from high-quality Chrome Alloy Steel, forged and oil-hardened, the water pump pliers meet the highest standards of robustness and durability. The inductively hardened jaw serration gives the tool additional hardness and wear resistance.

Technical attributes.

DIN	DIN ISO 8976
Handles	plastic overlay with a textured surface
Head	polished
Length mm (L)	180 mm
Alloy	Chrome Vanadium Steel
max. jaw opening (mm)	28 mm
Opening width adjustment	10x

Logistics data.

Depth mm (IFS)	184
Width mm (IFS)	45
Height mm (IFS)	18
WEEE/ElektroG	nicht ear-pflichtig
Length (packed, mm)	186
Width (packed, mm)	47
Height (packed, mm)	20
Volume (packed, dm3)	0.17484 dm3
Art. no.	65726180
Weight (gross, kg)	0,240
Weight PAP (kg)	0,000
Weight PVC (kg)	0,004
GTIN	4018754206377
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen

Customs tariff no.	82032000
Packing standard	1
Weight	236 g

Variants.

Art. no.	Model no. (ERP)	Description	GTIN
65726180	6572 Wasserpumpenzange FastGRIP 180mm	Water pump pliers FastGRIP Jaw w.28mm L.180mm Head polished	4018754206377
65726240	FastGRIP 6572 240	Water pump pliers FastGRIP Jaw w.37mm L.240mm Head polished	4018754178421
65726300	6572 Wasserpumpenzange FastGRIP 300mm	Water pump pliers FastGRIP Jaw w.44mm L.300mm Head polished	4018754206384

GTIN.

