



Standard MANOSKOP® torque wrenches w. permanently installed ratchet

721Nf

Product no. **96502001**
GTIN **4018754081936**
Model **721NF/100**



Label.

Torque wrench MANOSKOP® 721Nf 200-1000N·m 3/4" L. 820mm

Properties.

- 200-1000 N·m
- 3/4" male square drive
- for general maintenance work

Product highlights.



Adjustment does not require disassembly.

Quick adjustment from outside, no disassembly of the torque wrench required, with two adjustment points for the maximum & minimum values.


Technologies and features.



Factory calibration certificate (ISO calibration)

Our torque tools, transducers, and test equipment are delivered with a factory calibration certificate in accordance with DIN EN ISO 6789-2:2017, and based on DKD-R 10-8 for traceability of the measuring equipment.

Technical drawing.



Technical attributes.

Scale division ft·lb	25 ft·lb
Scale division N·m	25 N·m
Measuring range N·m	200-1000 N·m
Measuring range ft·lb	150-725 ft·lb
External square drive (inch)	3/4
b1	46,5 mm
b2	76 mm
DIN	DIN EN ISO 6789-2:2017
Size	100
Height mm (h)	42 mm
L1	1503,5 mm
Length mm (L)	820 mm
LF	1365,5 mm
MA N·m	200 N·m
Nominal value N·m	1,000 N·m

Logistics data.

Depth mm (IFS)	960
Width mm (IFS)	200
Height mm (IFS)	70
WEEE/ElektroG	nicht ear-pflichtig
Length (packed, mm)	960
Width (packed, mm)	200
Height (packed, mm)	70
Volume (packed, dm3)	13.44 dm3
Art. no.	96502001
Weight (gross, kg)	8,000
Weight PAP (kg)	0,005
Weight PVC (kg)	0,005
GTIN	4018754081936
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82041100
Packing standard	1
Weight	7010 g

Variants.

Art. no.	Model no. (ERP)	Description	GTIN
50200081	721NF/80	Torque wrench MANOSKOP® 721Nf 160-800N·m 3/4" L. 1050.5mm	4018754031979
96502001	721NF/100	Torque wrench MANOSKOP® 721Nf 200-1000N·m 3/4" L. 820mm	4018754081936

GTIN.



Spare part(s) for.



59191080
Ratchet spare parts
sets for torque
wrenches No.721

Images.

