€ STAHL**WILLE**()®



Tool trolleys 95 PRO

95/7 PRO

 Product no.
 81200165

 GTIN
 4018754334681

 Model
 95/7 R PRO

Label.	Tool trolley 95/7 PRO 7 drawers 496 x 827 x 1020 mm red, RAL 3020; black, RAL 9005
Properties.	 three-stage safety concept: central locking with a lateral cylinder lock and hinged key individual locks prevent inadvertent opening during transit tilt protection - multiple drawers cannot be pulled out at the same time stainless steel with reinforced handle all-round collision protection with impact damping tightly welded, resilient work and storage surface; end panel made of stainless steel oil and acid-resistant ball-bearing smooth-running wheels (Ø 125 mm) with thread guards to protect the bearings from dirt and threads, with 2 locking brakes paper roll holder and spray can holder included 7 easily removable drawers, black, full-extension runners with bearing cage guide

- two-sided perforated panel for hooks no. 8031-8041, e.g. for larger tools
- can be fitted with STAHLWILLE standard and TCS inlays

Benefits.

7 easily removable drawers with practical full extension; the ball cage guide ensures smooth operation.

Oil and acid-resistant easy-running wheels (125 mm) with thread protection safeguard the bearings from dirt and threads, equipped with 2 locking brakes.

The all-round bumper with impact damping effectively protects the workshop trolley and its surroundings from damage in the event of collisions. The spacious storage area is fully welded and reliably sealed to protect the interior of the workshop.

Central locking via cylinder lock with a foldable key; the tilt protection prevents multiple drawers from being pulled out simultaneously.



Product highlights.



Takes on anything.

High-quality materials such as the tightly welded stainless steel tray with a scratchresistant honeycomb structure ensure the durability typical of STAHLWILLE and prevent liquids from penetrating into the interior of the trolley. The working surface of 827 x 496 mm is particularly suitable for working on large components. Thanks to its robust construction, the 95 PRO has a static load capacity of 750 kg. The drawers can be loaded with 30 kg thanks to reinforcements, and the bottom drawer can even be loaded with 45 kg.



Secure down to the last detail.

The drawers are centrally locked using a cylinder lock with a folding key. The singledrawer lock prevents unintentional opening while driving. In addition, only one drawer can always be opened at a time, ensuring reliable tipping protection.



Full configuration as standard.

Whether paper roll and spray can holders, all-round impact protection with shock absorption, perforations on both sides for attaching accessories, locking brakes or oil and acid-resistant smooth-running castors (Ø 125 mm) with thread protection. Our tool trolley has many features – as standard.



Optimally organised.

All drawers can be extended up to 100 %. Combining the use of STAHLWILLE standard and TCS inlays, or the variable drawer dividers, ensures a clear overview and convenient access to tools.

Technologies and features.



Modular Inlay System


This flexible solution for tool storage makes it possible to customise your tool trolley or tool box with 1/6, 1/3, 2/3 or 3/3 foam inserts.




Tool Control System

The intelligent modular inlay system protects and organises the tools in tool boxes, tool trolleys and workbenches. Two-colour foam inlays make checking the completeness of the tools quick and easy.

Technical drawing.





Technical attributes.

Logistics data.

Number of drawers	7	Depth mm (IFS)	720
Width mm (b)	827 mm	Width mm (IFS)	496
Colour	red, RAL 3020;	Height mm (IFS)	863
	black, RAL 9005	WEEE/ElektroG	nicht ear-pflichtig
Colour abbreviation	RAL 3020; RAL 9005	Length (packed, mm)	836
Height mm (h)	1020 mm	Width (packed, mm)	587
Length mm (L)	496 mm	Height (packed, mm)	940
Model no.	95/7 R PRO	Volume (packed, dm3)	461.28808 dm3
Internal drawer dimensions	346 x 528 x 75 mm (4x) 346 x 528 x 118 mm (2x) 346 x 528 x 134 mm (1x)	Art. no.	81200165
mm		Weight (gross, kg)	79,000
		Weight PAP (kg)	7,500
Drawer load capacity	30 kg 30 kg 45 kg	Weight PVC (kg)	0,000
		GTIN	4018754334681
Load capacity	750 kg	Country of origin AWR	CHINA
		Region of origin	Ausländischer Ursprung
		Customs tariff no.	94032080
		Packing standard	1

Weight

71500 g

Variants.

Art. no.	Model no. (ERP)	Description	GTIN
81200163	TTS 95/7 A PRO	Tool trolley 95/7 PRO 7 drawers 496 x 827 x 1020 mm anthracite, RAL 7016; black, RAL 9005	4018754334667
81200164	95/7 B PRO	Tool trolley 95/7 PRO 7 drawers 496 x 827 x 1020 mm blue, RAL 270 30 35; black, RAL 9005	4018754334674
81200165	95/7 R PRO	Tool trolley 95/7 PRO 7 drawers 496 x 827 x 1020 mm red, RAL 3020; black, RAL 9005	4018754334681

GTIN.




Accessories (for).



ŕ

90432802 Protective cover



81483004 Paper roll holder



80340040 Twin hook



90432727 Spray can holder



89010040 Cable holder



80320060 Twin hook



80340050 Twin hook



83812070 Empty tray for small components



80350017 Square lug



80350020 Square lug



81484001 Drawer divider



80360012 Spring clip



81484002 Drawer divider



89010003 Non-slip mat GRIPMAT



89010041 Laptop holder



90432806 Rubber mat



81485012 Spring clip

80310060



80360018 Spring clip



80380030 Container

80320030

Twin hook



81485006 Spring clip



80410235 Holding device for spanners




89011053 Waste bin



89010042 Laptop holder adaptor

Single hook





81483004 Paper roll holder



90432719 Spray can holder



81490001 Wheel set





80310030 Single hook





Images.







STAHLWILLE Eduard Wille GmbH & Co. KG Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-393 info@stahlwille.de · www.stahlwille.com © STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal