

### Folding ruler

13112 2M



 Product no.
 77470003

 GTIN
 4018754353132

 Model
 13112 2M

Label.

Folding ruler L.2m

Properties.

- accuracy class III
- dual scales
- folding mechanism made of hardened steel
- dirt-resistant spring rod joint for high tension
- 90° angle lock on all links
- dual 180° degree display on each link
- water-resistant, scratch-resistant
- CE mark
- glass-fibre reinforced special plastic, painted black

# Benefits.

Reliable professional scale with a deeply embossed duplex scale (cm/mm), ideal for crafts and DIY.

The durable spring rod joints offer a stable  $90^\circ$  angle lock with equal tension on all links.

The scale is resistant to water as well as scratches and marks for an extremely long lifetime, even under demanding conditions. Each link has a dual 180° angle indicator for precise alignment.

Thanks to its large numbering, the scale is easy to read from any angle and even from a distance.

# Product highlights.



#### Time-saving angle measurement.

When it comes to aligning components, our ruler with its duplicate angle indicators  $(45^{\circ}, 60^{\circ}, 75^{\circ}, 90^{\circ}, 105^{\circ}, 120^{\circ} \text{ and } 135^{\circ})$  on each link is a real time saver. These help you achieve the optimal working angle in no time at all without lots of measurements and calculations.

#### Wear-resistant joint.

Our levelling ruler is equipped with a low-wear, play-free and dirt-resistant spring rod joint. This ensures constant and robust voltage across all links for pinpoint accuracy, even when measuring heights or working overhead.

### Easy to read.

Our ruler with accuracy class III delivers precise results with high reliability. The deepembossed duplex scale in bright white on a matt black background, combined with the generous numbering, ensures optimal readability and accurate measurements.

### Technical attributes.

PRODUCT IMAGE IN PROGRESS

### Logistics data.

| Width mm (b)  | 36 mm | Depth mm (IFS)        | 235                    |
|---------------|-------|-----------------------|------------------------|
| Height mm (h) | 16 mm | Width mm (IFS)        | 31                     |
| L [m]         | 2 m   | Height mm (IFS)       | 15                     |
|               |       | WEEE/ElektroG         | nicht ear-pflichtig    |
|               |       | Length (packed, mm)   | 235                    |
|               |       | Width (packed, mm)    | 31                     |
|               |       | Height (packed, mm)   | 15                     |
|               |       | Volume (packed, dm3)  | 0.109275 dm3           |
|               |       | Art. no.              | 77470003               |
|               |       | Weight (gross, kg)    | 0,750                  |
|               |       | Weight PAP (kg)       | 0,000                  |
|               |       | Weight PVC (kg)       | 0,000                  |
|               |       | GTIN                  | 4018754353132          |
|               |       | Country of origin AWR | CHINA                  |
|               |       | Region of origin      | Ausländischer Ursprung |
|               |       | Customs tariff no.    | 90178010               |
|               |       | Packing standard      | 5                      |
|               |       | Weight                | 105 g                  |
|               |       |                       |                        |

## Variants.

| Art. no. | Model no. (ERP) | Description        | GTIN          |
|----------|-----------------|--------------------|---------------|
| 77470003 | 13112 2M        | Folding ruler L.2m | 4018754353132 |

# GTIN.



# Images.

Made to measure.

;;; \_ \_ \_ 1 = 1 = 2 (2) 3 = 4 (€5 102 6 0127 8 9 10 11 12 13 14 15 16 1700018 ;; 2 = 0 (2)

STAHLWILLE Eduard Wille GmbH & Co. KG Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-393 info@stahlwille.de · www.stahlwille.com © STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal