

Combination spanner sets OPEN BOX, metric

OPEN BOX 13

Product no. **96400805**
GTIN **4018754080618**
Model **OPEN BOX 13/26**



Label.

Combination spanner set OPEN BOX 13/26 6-32 26 pcs.

Properties.

- **metric, identical** end sizes
- ring-end cranked 15°, jaw angled 15°
- reinforcement between jaw and shaft
- durable, slim and lightweight design
- extremely resilient and durable
- high flexural strength due to double-T profile
- STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
- drop-forged, hardened, and cooled in an oil bath
- Chrome Alloy Steel, chrome-plated
- DIN 3113 Form A/ISO 7738 Form A
- in sturdy cardboard packaging

Benefits.

Made in Germany - Combination spanner set in cardboard packaging, 26 pcs.-pcs., 6-32 mm, ring side 15° angled, DIN 3113 Form A / ISO 7738 Form A, Chrome Alloy Steel.

Product highlights.



PRODUCT IMAGE
IN PROGRESS

Non-slip surface

STAHLWILLE spanners have a high-quality surface finish with good grip, making it possible to work safely and efficiently, even with greasy hands. The non-slip property improves control during handling.



A solution for every situation.

Our combination spanners are available in different versions (metric, imperial, long, with Spline-Drive profile) and as sets in textile bags, roll-up tool pouches or TCS inlays.

Technologies and features.



Double-T profile

Our combination and ring spanners have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.



Thin-walled rings


The thin wall diameter of our rings makes it easier to work in confined spaces. The ring sides are taller than standard nuts, which prevents jamming.



Offset Shaft Design

Our spanners are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

Technical drawing.



Technical attributes.

| | |
|-----------------|---|
| Number of tools | 26 pcs. |
| Range | 6-32 |
| DIN | DIN 3113 Form A / ISO 7738 Form A |
| Capacity | 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; |

Logistics data.

| | |
|---------------------|---------------------|
| Depth mm (IFS) | 467 |
| Width mm (IFS) | 85 |
| Height mm (IFS) | 80 |
| WEEE/ElektroG | nicht ear-pflichtig |
| Length (packed, mm) | 470 |
| Width (packed, mm) | 90 |

| | | | |
|------------------|--|------------------------------|------------------------|
| | 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 32 mm | Height (packed, mm) | 90 |
| Alloy | Chrome Alloy Steel | Volume (packed, dm3) | 3.807 dm3 |
| Jaw angle | 15 ° | Art. no. | 96400805 |
| Model no. | 13/26 | Weight (gross, kg) | 4,705 |
| Surface | chrome-plated | Weight PAP (kg) | 0,160 |
| | | Weight PVC (kg) | 0,000 |
| | | GTIN | 4018754080618 |
| | | Country of origin AWR | GERMANY |
| | | Region of origin | Nordrhein-Westfalen |
| | | Packaging | in cardboard packaging |
| | | Customs tariff no. | 82041100 |
| | | Packing standard | 1 |
| | | Weight | 4705 g |

Variants.

| Art. no. | Model no. (ERP) | Description | GTIN |
|----------|-----------------|---|---------------|
| 96400809 | OPEN BOX 13/5 | Combination spanner set OPEN BOX 13/5 8-19 5 pcs. | 4018754323265 |
| 96400808 | OPEN BOX 13/10 | Combination spanner set OPEN BOX 13/10 8-19 10 pcs. | 4018754080649 |
| 96400816 | OPEN BOX 13/16 | Combination spanner set OPEN BOX 13/16 7-24 16 pcs. | 4018754122905 |
| 96400805 | OPEN BOX 13/26 | Combination spanner set OPEN BOX 13/26 6-32 26 pcs. | 4018754080618 |

GTIN.



Images.

