

Electronics end cutters

6709

Product

67096000

no.

GTIN

4018754333219

Model 6

6709 ELEKTRONIK-VORNSCHNEIDER M. FASE,

POL., 120MM, 2K-GRIFF



Label.

Electronics end cutter L.120mm Head polished Handles 2-component handles

Properties.

- for demanding work in electronics/precision mechanics
- 90° rotated and side-angled cutting geometry
- slim head design for use in confined work areas
- · long service life, no play, push-through joint
- · with double leaf spring for smooth movement
- extended handle cover for better slip protection
- ergonomic thumb rest for optimal handling
- · cutting edges induction hardened to approx. 62 HRC
- · with 2-component handles
- DIN ISO 9654

Benefits.

Precision end cutter for fine cutting work in electronics or precision mechanics.

The sharp, hardened cutting edges deliver equally precise results with both hard and soft wire.

The frictionless, self-opening double leaf spring enables soft and precise movement of the jaws.

Cutting edge geometry rotated by 90° enables precise, vertical work on straight surfaces such as boards.

The fully inserted, play-free joint offers the highest precision with a consistently long service life.

Product highlights.



Optimal handling.

The slim head of the electronics cutter means it can be used in confined work areas. The smooth-running double leaf spring joints reduce effort, while the extended handle covers with multi-component material provide improved slip resistance and added comfort.



Optimised cutting geometry.

The cutting edges are rotated 90° and angled sideways. This special geometry facilitates precise cutting in certain situations, especially when working on boards or other flat materials where a particularly precise cutting angle is required.



Precision and durability.


The cutter is specially designed for the finest precision work. Its rigid box joint and sharp cutting edges guarantee precise cuts with different wire thicknesses. At the same time, the high-quality materials of the electronics pliers offer remarkable durability and service life.



Outstanding craftsmanship.

The tool is forged from high-quality steel which gives it outstanding stability and durability in continuous use.

Technical drawing.



Technical attributes.

Logistics data.

| Width mm (b) | 56 mm | Depth mm (IFS) | 120 |
|--------------|--------------|----------------|-----|
| DIN | DIN ISO 9654 | Width mm (IFS) | 90 |

| | | | 13.00 | .2025 |
|---------------------------------------|---------------------|-----------------------|---------------------|-------|
| Handles | 2-component handles | Height mm (IFS) | 18 | |
| Head | polished | WEEE/ElektroG | nicht ear-pflichtig | |
| Head width-electronics-mm | 12 mm | Length (packed, mm) | 120 | |
| (a) | | Width (packed, mm) | 90 | |
| Head thickness-electronics- mm (d) | 17 mm | Height (packed, mm) | 18 | |
| Length mm (L) | 120 mm | Volume (packed, dm3) | 0.1944 dm3 | |
| Medium-hard wire (2) | 0,3 mm | Art. no. | 67096000 | |
| Head length-electronics- | 6 mm | Weight (gross, kg) | 0,080 | |
| mm (b) | | Weight PAP (kg) | 0,000 | |
| Soft wire (1) | 0,6 mm | Weight PVC (kg) | 0,005 | |
| | | GTIN | 4018754333219 | |
| | | Country of origin AWR | GERMANY | |
| | | Region of origin | Thüringen | |
| | | Customs tariff no. | 82032000 | |
| | | Packing standard | 1 | |
| | | Weight | 80 g | |
| | | | | |

Variants.

| Art. no. | Model no. (ERP) | Description | GTIN |
|----------|---|--|---------------|
| 67096000 | 6709 ELEKTRONIK- VORNSCHNEIDER M. FASE, POL., 120MM, 2K-GRIFF | Electronics end cutter L.120mm Head polished Handles 2-component handles | 4018754333219 |

GTIN.



Images.

