



Combination spanner sets OPEN BOX, inch

OPEN BOX 13a

 Product no.
 96404812

 GTIN
 4018754101979

 Model
 OPEN BOX 13a/10 KT



Label.

Combination spanner set OPEN BOX 13a/10 KT 1/4-3/4 10 pcs.

Properties.

• imperial, identical end sizes in cardboard packaging

- ring-end cranked $15^\circ\!\!,$ jaw angled $15^\circ\!\!$
- reinforcement between jaw and shaft
- durable, slim and lightweight design
- extremely resilient and durable
- high flexural strength due to double-T profile
- STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
- drop-forged, hardened, and cooled in an oil bath
- Chrome Alloy Steel, chrome-plated
- DIN 3113 Form A/ISO 7738 Form A


Benefits.

High-quality 10 pcs.-piece combination spanner set in imperial AF sizes.





Product highlights.



Non-slip surface

STAHLWILLE spanners have a high-quality surface finish with good grip, making it possible to work safely and efficiently, even with greasy hands. The non-slip property improves control during handling.

A solution for every situation.

Our combination spanners are available in different versions (metric, imperial, long, with Spline-Drive profile) and as sets in textile bags, roll-up tool pouches or TCS inlays.

Technologies and features.



Double-T profile

Our combination and ring spanners have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.


Thin-walled rings

The thin wall diameter of our rings makes it easier to work in confined spaces. The ring sides are taller than standard nuts, which prevents jamming.

Offset Shaft Design

Our spanners are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

Technical drawing.



Technical attributes.

Logistics data.

Number of tools	10 pcs.	Depth mm (IFS)	356
Range	1/4-3/4	Width mm (IFS)	176
DIN	DIN 3113 Form A / ISO	Height mm (IFS)	28
	7738 Form A	WEEE/ElektroG	nicht ear-pflichtig
Сарасу	1/4; 5/16; 11/32; 3/8; 7/16; 1/2; 9/16; 5/8; 11/16; 3/4 "	Length (packed, mm)	370
		Width (packed, mm)	185
Alloy	Chrome Alloy Steel	Height (packed, mm)	35
Jaw angle	15 °	Volume (packed, dm3)	2.39575 dm3
Model no.	13a/10KT	Art. no.	96404812
Surface	chrome-plated	Weight (gross, kg)	0,750
		Weight PAP (kg)	0,250
		Weight PVC (kg)	0,100
		GTIN	4018754101979
		Country of origin AWR	GERMANY
		Region of origin	Nordrhein-Westfalen
		Packaging	in cardboard packaging with transparent lid
		Customs tariff no.	82041100
		Packing standard	1
		Weight	750 g

Variants.

Art. no.	Model no. (ERP)	Description	GTIN
96404803	OPEN BOX 13a/8	Combination spanner set OPEN BOX 13a/8 7/16-7/8 8 pcs.	4018754080861
96404812	OPEN BOX 13a/10 KT	Combination spanner set OPEN BOX 13a/10 KT 1/4-3/4 10 pcs.	4018754101979
96404804	OPEN BOX 13a/20	Combination spanner set OPEN BOX 13a/20 1/4-1.1/4 20 pcs.	4018754080878

GTIN.



Images.





STAHLWILLE Eduard Wille GmbH & Co. KG Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-393 info@stahlwille.de · www.stahlwille.com © STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal