



Sockets

40D

Product no. 01030008
GTIN 4018754000333
Model 40D 8



Label. 1/4 " Sockets Spanner size 8mm L.23mm

Properties.

- bi-hex with AS-Drive profile
- 1/4" internal square drive
- HPQ® high performance steel, chrome-plated
- DIN 3124 / ISO 2725-1 / DIN EN 3709 / ASME B 107.5M


Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

Drive profile	bi-hex AS-Drive
Internal square drive (inch)	1/4 "
d1	11,6 mm
d2	11,6 mm
d3	7 mm
DIN	DIN 3124 / ISO 2725-1, DIN EN 3709, ASME B 107.5M
Length mm (L)	23 mm
Width across flats [mm]	8 mm
t1	8 mm
t2	13,1 mm

Logistics data.

Depth mm (IFS)	23
Width mm (IFS)	12
Height mm (IFS)	12
WEEE/ElektroG	nicht ear-pflichtig
Length (packed, mm)	70
Width (packed, mm)	50
Height (packed, mm)	12
Volume (packed, dm3)	0.042 dm3
Art. no.	01030008
Weight (gross, kg)	0,100
Weight PAP (kg)	0,000
Weight PVC (kg)	0,002
GTIN	4018754000333
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82042000
Packing standard	10
Weight	11 g

Variants.

Art. no.	Model no. (ERP)	Description	GTIN
01030005	40D 5	1/4 " Sockets Spanner size 5mm L.23mm	4018754000302
01030006	40D 6	1/4 " Sockets Spanner size 6mm L.23mm	4018754000319
01030007	40D 7	1/4 " Sockets Spanner size 7mm L.23mm	4018754000326
01030008	40D 8	1/4 " Sockets Spanner size 8mm L.23mm	4018754000333
01030009	40D 9	1/4 " Sockets Spanner size 9mm L.23mm	4018754000340
01030010	40D 10	1/4 " Sockets Spanner size 10mm L.23mm	4018754000357
01030011	40D 11	1/4 " Sockets Spanner size 11mm L.23mm	4018754000364
01030012	40D 12	1/4 " Sockets Spanner size 12mm L.23mm	4018754000371
01030013	40D 13	1/4 " Sockets Spanner size 13mm L.23mm	4018754000388
01030014	40D 14	1/4 " Sockets Spanner size 14mm L.24mm	4018754000395
01030055	40D 5,5	1/4 " Sockets Spanner size 5,5mm L.23mm	4018754000401

GTIN.

