



VDE wire stripper

6780 VDE



Product no. **67804160**
GTIN **4018754338832**
Model **6780 4 160 VDE**



Label. VDE wire stripper min.dia.5mm² - max. dia.10mm² L.160mm


Properties.

- mechanical wire stripper with set screw and opening spring for easy removal of the insulation from electrical conductors e.g. conventional or stranded wires
- for single, multi-stranded and finely stranded conductors
- drop-forged from tempered steel
- cutting edges also induction hardened to approx. 44 HRC
- VDE insulated up to 1,000 V
- protective insulation according to IEC 60900-AC 1,000 V / DC 1,500 V
- chrome-plated
- with 2-component handle

Benefits.

Real craftsmanship leaves nothing to chance – the perfect symbiosis of professional skills and excellent tools unleashes exciting results. ALARM has been committed to this principle since 1867

Technical drawing.



Technical attributes.

Jaw length mm (L3)	26 mm
Width mm (b)	58 mm
Diameter max. (mm ²)	10 mm ²
Diameter min. (mm ²)	5 mm ²
Handles	2-component handles
Height mm (h)	29 mm
Header	chrome-plated
Head width mm (W3)	18 mm
Head thickness mm (T2)	9.5 mm
Length mm (L)	160 mm

Logistics data.

Depth mm (IFS)	170
Width mm (IFS)	60
Height mm (IFS)	30
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	205
Width (packaged, mm)	125
Height (packaging, mm)	65
Volume (packaged, dm ³)	1.665625 dm ³
Product no.	67804160
Weight (gross, kg)	0,950
Weight PAP (kg)	0,060
Weight PVC (kg)	0,001
GTIN	4018754338832
Country of origin AWR	VIET NAM
Region of origin	Ausländischer Ursprung
Customs tariff no.	82032000
Packing standard	5
Weight (g)	190 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
67804160	6780 4 160 VDE	VDE wire stripper min.dia.5mm ² - max. dia.10mm ² L.160mm	4018754338832

GTIN.



Images.

