# € STAHLWILLE O®



### Tool trolleys 98 PRO

#### 98/8 PRO

Product no. 81200172

GTIN 4018754334520 Model TTS 98/8 A PRO



Label.

Tool trolley 98/8 PRO 8 Drawer organisation  $651 \times 1001 \times 1020$  mm anthracite, RAL 7016; black, RAL 9005

Properties.

#### • three-stage safety concept:

- · central locking with a lateral cylinder lock and hinged key
- · individual locks prevent inadvertent opening during transit
- tilt protection multiple drawers cannot be pulled out at the same time
- 100% increased drawer volume compared to the 93 and TTS 95 PRO
- · stainless steel with reinforced handle
- · all-round collision protection with impact damping
- tightly welded, resilient work and storage surface; end panel made of stainless steel
- oil and acid-resistant wheels ((symbol) 125 mm) with bearings protected from the ingress of dirt and fibres, and 2 parking brakes
- paper roller and spray can holder included
- 7 or 8 easily removable drawers, black, full-extension runners with bearing cage guide
- two-sided perforated panel for hooks no. 8031-8041, e.g. for larger tools
- can be fitted with STAHLWILLE standard and TCS inlays

### Benefits.

Maximum storage area thanks to width of 100 cm, 65 cm deep and drawer full extension.

High quality, durable materials such as tightly welded stainless steel top tray.

Optionally, 7 or 8 easily removable drawers.

Oil and acid-resistant low rolling resistance wheels (125 mm) with thread guard and 2 parking brakes.

High static load-bearing capacity up to 1,400 kg.







### Product highlights.



#### Simply more space.

With a width of more than 100 cm, a depth of 65 cm and a drawer full extension, our biggest tool trolley provides maximum storage space and room for your tools. In comparison to the 93 and 95 PRO models, the TTS 98 PRO provides 100 % more drawer volume with premium quality.



#### Takes on anything.

High-quality materials such as the tightly welded stainless steel tray provide the durability that is typical of STAHLWILLE, and prevent liquids from penetrating the interior of the trolley. The working area of  $740 \times 570$  mm is particularly suitable for working on large components. Thanks to its robust design, the 98 PRO achieves a static load-bearing capacity of 1,400 kg. The drawers can be loaded with up to 40 kg thanks to stiffening, and the bottom drawer can even be loaded with up to 60 kg.



#### Secure down to the last detail.

The drawers are centrally locked using a cylinder lock with a folding key. The single-drawer lock prevents unintentional opening while driving. In addition, only one drawer can always be opened at a time, ensuring reliable tipping protection.



#### Everything in its place.

The TTS 98 PRO can be supplemented with the STAHLWILLE Tool Control System. The TCS inlays protect the tools and keep things in order. The signal colour makes it immediately clear, if a tool is missing. The 3D cutouts make quick and convenient removal possible.



#### Full configuration as standard.

Whether paper roll and spray can holders, all-round impact protection with shock absorption, perforations on both sides for attaching accessories, locking brakes or oil and acid-resistant smooth-running castors (Ø 125 mm) with thread protection. Our tool trolley has many features – as standard.


# Technologies and features.



#### **Tool Control System**

The intelligent modular inlay system protects and organises the tools in tool boxes, tool trolleys and workbenches. Two-colour foam inlays make checking the completeness of the tools quick and easy.

# Technical drawing.



## Technical attributes.

Number of drawers	8	
Width mm (b)	1001 mm	
Colour	anthracite, RAL 7016; black, RAL 9005	
Colour abbreviation	RAL 7016; RAL 9005	
Height mm (h)	1020 mm	
Length mm (L)	651 mm	
Model No.	98/8 A PRO	
Internal drawer dimensions mm	525 x 695 x 75 mm (7x) 525 x 695 x 134 mm (1x)	
Drawer load capacity	40 kg 60 kg	
Load capacity	1,400 kg	

# Logistics data.

Depth mm (IFS)

Doptil IIIII (II O)	0,70
Width mm (IFS)	650
Height mm (IFS)	865
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	987
Width (packaged, mm)	745
Height (packaging, mm)	925
Volume (packaged, dm3)	680.166375 dm3
Product no.	81200172
Weight (gross, kg)	123,500
Weight PAP (kg)	9,500
Weight PVC (kg)	0,000
GTIN	4018754334520
Country of origin AWR	CHINA
Region of origin	Ausländischer Ursprung
Customs tariff no.	94032080
Packing standard	1

890

## Variants.

Product no.	Model No. (ERP)	Description	GTIN
81200172	TTS 98/8 A PRO	Tool trolley 98/8 PRO 8 Drawer organisation 651 x 1001 x 1020 mm anthracite, RAL 7016; black, RAL 9005	4018754334520
81200173	TTS 98/8 B PRO	Tool trolley 98/8 PRO 8 Drawer organisation 651 x 1001 x 1020 mm blue, RAL 270 30 35; black, RAL 9005	4018754334537
81200174	TTS 98/8 R PR0	Tool trolley 98/8 PRO 8 Drawer organisation 651 x 1001 x 1020 mm red, RAL 3020; black, RAL 9005	4018754334544

# GTIN.



# Accessories (for).



80310090 Single hook



80340040 Twin hook



90432727 Spray can holder




89010040 Cable holder



80320060 Twin hook



80340050 Twin hook



81483004 Paper roll holder



83812070 Empty tray for small components



80350017 Square lug



80350020 Square lug



81484001 Drawer divider



80360012 Spring clip



81484002 Drawer divider



80360018 Spring clip



81485006 Spring clip



80360024 Spring clip



81485012 Spring clip



80380030 Container



80410235 Holding device for spanners



80310030 Single hook



80310060 Single hook



80320030 Twin hook



89011053 Waste bin



89010042 Laptop holder adaptor

# Spare part(s) for.



90432718 Lock, mechanical



90432719 Spray can holder

# Images.





