



Socket

45TX

Product no. **02270012**
GTIN **4018754003709**
Model **45TX E12 TORX®**



Label. 3/8 " Socket L.28mm

Properties.

- for external TORX® screws
- 3/8" internal square drive
- HPQ® high performance steel, chrome-plated


Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

Drive profile	TORX®
Square drive inner (inch)	3/8 "
d1	14,9 mm
d2	16,5 mm
d3	7,2 mm
Size drive profile	E12
Length mm (L)	28 mm
t1	9,5 mm
t2	16,5 mm

Logistics data.

Depth mm (IFS)	28
Width mm (IFS)	17
Height mm (IFS)	17
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	95
Width (packaged, mm)	40
Height (packaging, mm)	30
Volume (packaged, dm3)	0.114 dm3
Product no.	02270012
Weight (gross, kg)	0,280
Weight PAP (kg)	0,000
Weight PVC (kg)	0,005
GTIN	4018754003709
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82042000
Packing standard	10
Weight (g)	30 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
02270005	45TX E5 TORX®	3/8 " Socket L.28mm	4018754003655
02270006	45TX E6 TORX®	3/8 " Socket L.28mm	4018754003662
02270007	45TX E7 TORX®	3/8 " Socket L.28mm	4018754003679

02270008	45TX E8 TORX®	3/8 " Socket L.28mm	4018754003686
02270010	45TX E10 TORX®	3/8 " Socket L.28mm	4018754003693
02270012	45TX E12 TORX®	3/8 " Socket L.28mm	4018754003709
02270014	45TX E14 TORX®	3/8 " Socket L.28mm	4018754003716

GTIN.

