



IMPACT-TORX® screwdriver sockets 1/2"

2307TX

Product no. **23070060**
GTIN **4018754015269**
Model **2307TX IMP T60 TORX®**



Label. IMPACT screwdriver socket 1/2 " T60 L.40mm

Properties.


- for recessed TORX® screws
- 1/2" internal square drive
- Chrome Alloy Steel, gunmetal finish

Product highlights.



Optimised functionality.


All IMPACT sockets have a through cross hole for the connecting pin and a deep groove for the rubber locking ring. The locking pin is not stressed during use.



High fitting accuracy.

The high fitting accuracy due to tight tolerances guarantees optimum, backlash-free transmission of forces to the socket.

Technical drawing.



Technical attributes.

Drive profile	TORX®
TORX® drive profile (mm)	13,2 mm
Square drive inner (inch)	1/2 "
d	25 mm
Size drive profile	T60
L1	40 mm
L2	22 mm

Logistics data.

Depth mm (IFS)	40
Width mm (IFS)	25
Height mm (IFS)	25
WEEE/ElektroG	nicht ear-pflichtig
Length (packaged, mm)	105
Width (packaged, mm)	45
Height (packaging, mm)	26
Volume (packaged, dm3)	0.12285 dm3
Product no.	23070060
Weight (gross, kg)	0,336
Weight PAP (kg)	0,000
Weight PVC (kg)	0,005
GTIN	4018754015269
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Customs tariff no.	82042000
Packing standard	5
Weight (g)	66 g

Variants.

Product no.	Model No. (ERP)	Description	GTIN
23070030	2307TX IMP T30 TORX®	IMPACT screwdriver socket 1/2 " T30 L.40mm	4018754015221
23070040	2307TX IMP T40 TORX®	IMPACT screwdriver socket 1/2 " T40 L.40mm	4018754015238

23070045	2307TX IMP T45 TORX®	IMPACT screwdriver socket 1/2 " T45 L.40mm	4018754154012
23070050	2307TX IMP T50 TORX®	IMPACT screwdriver socket 1/2 " T50 L.40mm	4018754015245
23070055	2307TX IMP T55 TORX®	IMPACT screwdriver socket 1/2 " T55 L.40mm	4018754015252
23070060	2307TX IMP T60 TORX®	IMPACT screwdriver socket 1/2 " T60 L.40mm	4018754015269

GTIN.



Accessories (for).



39022030
IMPACT locking pin



39011940
IMPACT rubber ring