



### Mini water pump pliers

#### 6515

Product no. 65156125

GTIN **4018754281251** 

Model **6515** 

Label.

Mini water pump pliers L.125mm Jaw w.25mm Header black lacquered, polished

Properties.

- · compact version with slim head shape for use in confined working areas
- · self-clamping on the workpiece, reduces effort and prevents slipping
- · sliding slip joint with double support
- · easy to adjust thanks to locking hole adjustment
- induction-hardened serration for impressive dimensional stability and durability
- · with built-in protection against crush injuries
- plastic coated handles
- · Chrome Alloy Steel, forged and oil-hardened
- DIN ISO 8976

### Benefits.

Compact design with slim head allows precise repair and maintenance work, even in hard-to-reach ranges.

Stretched slip joint with double support ensures high load capacity.

For improved ergonomics and safety, the pliers are equipped with a non-slip plastic coating and an integrated anti-jamming protection.

With 4-way quick adjustment for easy adaptation to workpieces with a diameter of up to 25 mm.

The induction-hardened serrated edge ensures a secure hold, minimising abrasion.

# Product highlights.



#### Every action perfectly executed.

For precise work and powerful gripping - STAHLWILLE pliers with non-slip handle. The comfortable handles with rough surface structure allow safe, low-fatigue work, even with smeared hands.



#### Compact design for confined working areas.

The compact version with a slim head shape allows precise work even in confined areas. Thanks to its narrow design, the water pump pliers are perfect for hard-to-reach places and are also easy to store.



#### Precise 4-position quick adjustment.

The practical locking hole adjustment allows quick and easy adaptation to different workpiece sizes. The 4-step adjustment is simple and safe, without any additional mechanism.



#### Particularly durable and resistant.

Made from high-quality Chrome Alloy Steel, forged and oil-hardened, the water pump pliers meet the highest standards of robustness and durability. The inductively hardened jaw serration gives the tool additional hardness and wear resistance.



#### A secure hold and comfortable handling.

The ergonomically designed handles are coated with a non-slip plastic with a rough surface texture. This makes the pliers comfortable to hold and enables fatigue-free working - even with dirty hands. The integrated clamp protection reliably protects against crush injuries.



### High stability.

The sliding slip joint with double support ensures exceptional stability and a particularly long service life, even under high loads. The robust design guarantees reliable performance, even under demanding conditions.

Logistics data.

# Technical attributes.

Handles	plastic overlay with a textured surface	Depth mm (IFS) Width mm (IFS)	135 34
Header	black lacquered, polished	Height mm (IFS)	11
Length mm (L)	125 mm	WEEE/ElektroG	nicht ear-pflichtig
Alloy	Chrome Vanadium Steel	Length (packaged, mm)	136
		Width (packaged, mm)	35
Jaw opening max. (mm)	25 mm	Height (packaging, mm)	12
Opening width adjustment	4x	Volume (packaged, dm3)	0.05712 dm3
		Product no.	65156125
		Weight (gross, kg)	0,110
		Weight PAP (kg)	0,000
		Weight PVC (kg)	0,004
		GTIN	4018754281251
		Country of origin AWR	GERMANY
		Region of origin	Thüringen
		Customs tariff no.	82032000
		Packing standard	1

## Variants.

Pro	duct no.	Model No. (ERP)	Description	GTIN
651	56125	6515	Mini water pump pliers L.125mm Jaw w.25mm Header black lacquered, polished	4018754281251

Weight (g)

118 g

# GTIN.

